

### The UK [Gay Men's Sex Survey](#) (part of [EMIS](#) - the European MSM Internet Sex survey)

#### [England](#) region of residence data report (March 2011)

This report contains data from the UK *Gay Men's Sex Survey* 2010, which was part of the European MSM Internet Sex Survey (EMIS), a pan-European survey about behaviours, prevention needs and interventions related to HIV and sexual health. The survey ran simultaneously in twenty-five European languages, and was promoted by over 200 websites across Europe. The survey was developed by academic researchers, public health officials and community-based organisations in these countries. More information on the survey can be found at [www.emis-project.eu](http://www.emis-project.eu)

EMIS has already released two documents reporting key variables for men resident in 38 countries across Europe, the *EMIS Community Report #1* and the *EMIS UNGASS Indicators Report*. Both can be found in the [Publications](#) section at [www.emis-project.eu](http://www.emis-project.eu). The indicators provided in this report are the same as those provided in these two reports.

This current report is prepared for health promotion planners with information about their local population of gay men and bisexual men. Respondents are grouped according to the Strategic Health Authority area in which they live. This report supplements the main UK survey report which will be published in September 2011. Survey methods and interpretation of the variables will be outlined in that report.

This data is intended to provide health promotion planners with information about the men living in their region in a way that can be compared with other groups of men. There are also data reports for each of the ten Strategic Health Authorities in England, with men grouped according to their Primary Care Trust (PCT) of residence, and separate reports for all England, Scotland, Northern Ireland and Wales, with men grouped according to their region of residence. These other 2010 reports, and similar reports for previous years, are available at [www.gmss.org.uk](http://www.gmss.org.uk).

#### **The data**

The survey used a single data collection method via a specific website promoted via links on gay and HIV-related websites. The EMIS survey was available from 4<sup>th</sup> June to 31<sup>st</sup> August 2010, in 25 languages. 184,470 gay men and bisexual men took part internationally.

To be included in this report respondents had to: be male; be aged between 16 and 89; be living in England; have had sex with a man in the last year or have a gay, bisexual or other 'queer' identity.

Respondents with two or more inconsistent answers in six key areas were removed to improve data validity. Differences between the number of surveys returned and the number of men who appear in the sample are due to these exclusions.

### **The tables**

Groups of men living in the same Strategic Health Authority area appear as a row (horizontal line) in the tables. The bottom row of each table gives the result for all men living in England. The first table shows the number of men recruited to the survey living in the ten regions and the size of the sub-samples in the rest of the tables. The tables show the proportions (%) of each sub-sample for that variable (less missing data). Rows add up to 100%. The only exceptions to this layout are table 3, 'Age averages' and table 16, 'Knowledge on HIV testing'.

### **Questionnaires**

The contents page identifies the survey question number (Q) each table is derived from. The questionnaire used in the survey is available to download in the [Publications](#) section at [www.emis-project.eu](http://www.emis-project.eu)

### **Funding**

EMIS was 60% funded by the Executive Agency for Health and Consumers of the European Commission and 40% funded by the five EMIS Associate Partners for their respective work-packages. In the UK the survey was part-funded by the Terrence Higgins Trust on behalf of CHAPS, the national HIV prevention programme funded by the English Department of Health.



David Reid <[david.reid@sigmaresearch.org.uk](mailto:david.reid@sigmaresearch.org.uk)>  
Research Fellow, Sigma Research  
Department of Social and Environmental Health Research  
London School of Hygiene and Tropical Medicine  
15-17 Tavistock Place  
London. WC1H 9SH  
T: +44 (0)20 7927 2792  
[www.sigmaresearch.org.uk](http://www.sigmaresearch.org.uk)  
[www.lshtm.ac.uk](http://www.lshtm.ac.uk)

## Table Contents

### **SAMPLE DESCRIPTION**

1. Sample size by region of residence.
2. Language survey completed in.
3. Age groups; Q2 grouped into ten year age bands.
4. Age averages; from Q2; the median age (line them up by size and pick the one in the middle), the minimum (youngest) and maximum (oldest) ages, the mean age (add them up and divide by how many there are), and the standard deviation (a measure of how spread out along the range they are). (EMIS Community Report 1)
5. Born in country of residence; Q6.
6. Sexual identity; Q10.
7. 'Being Out'; Proportion of family, friends and work or study colleagues who know about same sex attraction; Q11. (EMIS Community Report 1)

### **SATISFACTION WITH SEX LIFE**

8. 'Happy with their sex life'; Q15. (EMIS Community Report 1)

### **HIV and STI TESTING**

9. HIV testing history and recency of HIV testing; Q71 & Q72 & Q72a & Q104. (EMIS Community Report 1)
10. Percentage of MSM that have received an HIV test in the last 12 months and who know the results amongst men of all ages. (UNGASS indicator 8); Q71 & Q72 & Q72a & Q104. (EMIS UNGASS indicators Report)
11. Percentage of men diagnosed positive among those who have ever been tested for HIV. (UNGASS indicator 23); Q71. (EMIS UNGASS indicators Report)
12. STI testing history and recency of STI testing; Q122 & Q123.

### **HEALTH NEEDS**

13. Confidence in accessing HIV testing (amongst men not diagnosed HIV positive); Q112 & Q113.
14. Perception of availability of free HIV testing (amongst men not diagnosed HIV positive); Q114.
15. Perception of availability of free STI testing (amongst men who had worn condoms); Q117.
16. 'Knowledge on HIV-testing' the average score of respondents knowledge of five statements on HIV transmission testing and treatment; Q61 & Q63 & Q65 & Q66 & Q67. (EMIS Community Report 1)

### **HEALTH NEEDS continued.**

17. Percentage of MSM who both correctly identify ways of preventing the sexual transmission of HIV and who reject major misconceptions amongst men of all ages. (UNGASS indicator 14); Q62 & Q68 & Q241 & Q242 & Q243. (EMIS UNGASS indicators Report)
18. Recency of not having a condom when desired; Q206.
19. Concern about alcohol consumption; Q222.
20. Concern about recreational drug use; Q223.

### **SEXUAL BEHAVIOUR**

21. Recency of any sex with male partners; Q148.
22. Condom failure (tearing or slipping) in the previous 12 months; Q219.
23. Communication of HIV status prior to or during sex with last non-steady male sexual partner; Q184.
24. Percentage of MSM aged 15-49 who have had anal or vaginal intercourse with more than one partner in the last 12 months. (UNGASS indicator 16); Q2 & 148 & Q155 & Q163 & Q157 & Q165 & Q208 & Q209.
25. Percentage of MSM reporting the use of a condom: the last time they had anal sex with a male partner within the last 6 months amongst men of all ages. (UNGASS indicator 19); Q148 & Q150 & Q152 & Q153. (EMIS UNGASS indicators Report)

### **HATE CRIME**

26. Experience of homophobic stares and intimidation; Q264.
27. Experience of homophobic verbal abuse; Q265.
28. Experience of homophobic physical abuse; Q266.

### **INTERVENTION PERFORMANCE**

29. Recency of hearing any information about HIV or STIs specifically for men who have sex with men; Q144.
30. Percentage of MSM reached with HIV prevention programmes (UNGASS indicator 9); Q71 & Q82 & Q112 & Q113 & Q144 & Q147 & Q207. (EMIS UNGASS indicators Report)

## SAMPLE DESCRIPTION

### 1. Sample size by Strategic Health Authority area of residence.

	Frequency	Percent
London	5011	32.4
SHA unknown	1670	10.8
North West	1651	10.7
South East Coast	1208	7.8
South West	1074	6.9
East of England	970	6.3
West Midlands	909	5.9
South Central	897	5.8
Yorkshire and The Humber	839	5.4
East Midlands	732	4.7
North East	495	3.2
Total	15456	100.0

## 2. Language survey completed in.

% within Strategic Health Authority of residence

	Survey language									
	Bulgarian	Czech	Danish	Dutch	English	Estonian	Finnish	French	German	Greek
London	.1%	.3%	.1%	.2%	88.1%	.1%	.1%	1.4%	1.5%	.5%
South West		.2%		.2%	96.5%	.1%			.3%	
South Central		.3%	.1%	.2%	93.2%			.7%	.6%	.3%
South East Coast	.2%	.4%	.1%		95.7%			.4%	.3%	.2%
East of England	.3%	.3%	.1%		93.0%	.1%	.1%	.4%	.9%	.1%
East Midlands		.3%			95.4%			.4%	.7%	
West Midlands		.2%			96.6%			.3%	.2%	.1%
Yorkshire and The Humber	.2%			.1%	96.5%			.4%	.2%	
North West		.4%	.1%		95.9%			.2%	.5%	.2%
North East	.4%				97.8%			.2%	.4%	.4%
SHA unknown	.2%	.4%		.1%	91.4%		.1%	.4%	.8%	.1%
Total	.1%	.3%	.1%	.1%	92.7%	.0%	.0%	.7%	.8%	.2%

## 2. Language survey completed in.

% within Strategic Health Authority of residence

	Survey language								
	Hungarian	Italian	Latvian	Lithuanian	Norwegian	Polish	Portugeuse	Romanian	Russian
London	.3%	1.9%	.2%	.3%	.1%	.8%	1.0%	.1%	.3%
South West	.1%		.1%	.2%	.1%	.7%	.6%	.4%	.2%
South Central	.2%	.4%	.2%	.1%	.1%	1.4%	.9%	.2%	.1%
South East Coast	.1%	.1%	.1%			.7%	.7%	.2%	.1%
East of England	.5%	1.0%	.3%	.5%	.1%	.6%	.7%	.3%	.1%
East Midlands		.1%	.5%	.4%		1.0%	.1%	.3%	
West Midlands	.1%	.1%	.2%	.1%		.7%	.2%	.6%	
Yorkshire and The Humber	.1%	.2%	.5%	.1%		.8%	.1%	.1%	.1%
North West	.1%	.2%				.8%	.2%	.1%	.2%
North East						.6%			
SHA unknown	.1%	1.6%	.1%	.1%	.1%	1.4%	.7%	.2%	.3%
Total	.2%	.9%	.2%	.2%	.1%	.9%	.6%	.2%	.2%

## 2. Language survey completed in.

% within Strategic Health Authority of residence

	Survey language					Total
	Serbian	Slovenian	Spanish	Swedish	Turkish	
London	.0%	.1%	2.1%	.1%	.2%	100.0%
South West	.1%		.5%			100.0%
South Central			.8%			100.0%
South East Coast	.1%		.7%	.1%		100.0%
East of England			.4%			100.0%
East Midlands			.7%		.1%	100.0%
West Midlands	.1%		.3%		.1%	100.0%
Yorkshire and The Humber	.1%	.1%	.1%			100.0%
North West			1.0%	.1%	.1%	100.0%
North East			.2%			100.0%
SHA unknown	.1%	.1%	1.5%	.2%	.2%	100.0%
Total	.0%	.0%	1.2%	.1%	.1%	100.0%



### 3.Age groups; Q2 grouped into ten year age bands.

% within Strategic Health Authority of residence

	Age Groups					Total
	<20	20s	30s	40s	50+	
London	1.9%	27.3%	33.9%	24.3%	12.6%	100.0%
South West	4.7%	28.4%	23.4%	22.8%	20.8%	100.0%
South Central	5.6%	30.5%	24.2%	23.2%	16.5%	100.0%
South East Coast	5.5%	24.9%	24.2%	25.2%	20.2%	100.0%
East of England	5.9%	27.2%	25.8%	23.2%	17.9%	100.0%
East Midlands	6.3%	28.7%	21.3%	24.2%	19.5%	100.0%
West Midlands	4.2%	32.1%	25.3%	21.1%	17.3%	100.0%
Yorkshire and The Humber	5.8%	31.7%	21.1%	25.6%	15.7%	100.0%
North West	4.7%	31.2%	26.0%	23.6%	14.5%	100.0%
North East	6.7%	29.1%	21.8%	22.4%	20.0%	100.0%
SHA unknown	2.2%	18.2%	25.4%	27.3%	26.9%	100.0%
Total	3.9%	27.5%	27.4%	24.2%	17.1%	100.0%

#### 4.Age averages

How old are you?

Strategic Health Authori...	Median	Mean	Minimum	Maximum	Std. Deviation
London	35.00	36.66	16	81	10.814
South West	37.00	38.05	15	80	13.606
South Central	35.00	36.48	16	83	12.654
South East Coast	38.00	38.31	14	88	13.135
East of England	36.00	37.26	16	82	12.853
East Midlands	36.00	37.21	13	77	13.073
West Midlands	35.00	36.53	16	70	12.351
Yorkshire and The Humber	36.00	36.21	14	78	12.637
North West	35.00	36.08	16	80	12.056
North East	36.00	37.02	16	75	13.347
SHA unknown	41.00	41.08	16	80	12.524
Total	36.00	37.33	13	88	12.240

**5. Born in country of residence.**

% within Strategic Health Authority of residence

	Were you born in your country of residence?		Total
	No	Yes	
London	48.2%	51.8%	100.0%
South West	17.7%	82.3%	100.0%
South Central	23.7%	76.3%	100.0%
South East Coast	22.9%	77.1%	100.0%
East of England	20.8%	79.2%	100.0%
East Midlands	14.7%	85.3%	100.0%
West Midlands	14.5%	85.5%	100.0%
Yorkshire and The Humber	13.1%	86.9%	100.0%
North West	18.3%	81.7%	100.0%
North East	13.4%	86.6%	100.0%
SHA unknown	30.6%	69.4%	100.0%
Total	29.3%	70.7%	100.0%

## 6. Sexual identity

% within Strategic Health Authority of residence

	Which of the following options best describes how you think of yourself?					Total
	Gay or homosexual	Bisexual	Straight or heterosexual	Any other term	I don't usually use a term	
London	88.1%	7.1%	.4%	.5%	3.8%	100.0%
South West	80.8%	14.0%	.1%	.6%	4.6%	100.0%
South Central	82.2%	12.8%	.6%	.4%	4.0%	100.0%
South East Coast	80.6%	12.4%	.8%	.5%	5.6%	100.0%
East of England	79.4%	14.5%	1.0%	.4%	4.7%	100.0%
East Midlands	80.7%	14.4%	.3%	.7%	3.9%	100.0%
West Midlands	80.5%	14.4%	.4%	.1%	4.5%	100.0%
Yorkshire and The Humber	80.3%	13.1%	.8%	.8%	4.9%	100.0%
North West	83.7%	11.4%	.6%	.5%	3.8%	100.0%
North East	78.1%	14.8%	.4%		6.7%	100.0%
SHA unknown	81.3%	12.5%	.5%	.6%	5.0%	100.0%
Total	83.4%	11.2%	.5%	.5%	4.4%	100.0%

**7. 'Being Out'; Proportion of family, friends and work or study colleagues who know about same sex attraction.**

% within Strategic Health Authority of residence

	Proportion of respondents who are out to most of those who know the person		Total
	All other answers	Out to most people I know	
London	25.3%	74.7%	100.0%
South West	36.5%	63.5%	100.0%
South Central	35.2%	64.8%	100.0%
South East Coast	30.3%	69.7%	100.0%
East of England	39.3%	60.7%	100.0%
East Midlands	40.4%	59.6%	100.0%
West Midlands	34.1%	65.9%	100.0%
Yorkshire and The Humber	37.5%	62.5%	100.0%
North West	29.9%	70.1%	100.0%
North East	42.0%	58.0%	100.0%
SHA unknown	34.1%	65.9%	100.0%
Total	31.8%	68.2%	100.0%

## SATISFACTION WITH SEX LIFE

### 8. 'Happy with their sex life'

% within Strategic Health Authority of residence

	Are you happy with your sex life?		Total
	No	Yes	
London	39.6%	60.4%	100.0%
South West	43.6%	56.4%	100.0%
South Central	43.1%	56.9%	100.0%
South East Coast	42.8%	57.2%	100.0%
East of England	42.5%	57.5%	100.0%
East Midlands	45.3%	54.7%	100.0%
West Midlands	40.1%	59.9%	100.0%
Yorkshire and The Humber	42.9%	57.1%	100.0%
North West	41.8%	58.2%	100.0%
North East	42.6%	57.4%	100.0%
SHA unknown	40.5%	59.5%	100.0%
Total	41.4%	58.6%	100.0%

## HIV and STI TESTING

### 9.HIV testing history and recency of HIV testing.

% within Strategic Health Authority of residence

	HIV testing history				Total
	Never tested	Tested negative in the last year	Tested negative over a year ago	Tested positive	
London	17.3%	45.9%	19.6%	17.1%	100.0%
South West	37.6%	34.7%	20.8%	6.8%	100.0%
South Central	36.3%	36.8%	20.0%	6.9%	100.0%
South East Coast	33.7%	31.1%	21.7%	13.5%	100.0%
East of England	39.7%	33.8%	18.6%	7.9%	100.0%
East Midlands	38.4%	32.5%	23.3%	5.8%	100.0%
West Midlands	37.7%	34.7%	16.9%	10.8%	100.0%
Yorkshire and The Humber	38.8%	31.4%	21.2%	8.5%	100.0%
North West	35.8%	32.1%	20.2%	11.8%	100.0%
North East	45.3%	25.7%	21.6%	7.4%	100.0%
SHA unknown	31.3%	34.8%	19.0%	14.8%	100.0%
Total	30.3%	37.3%	20.0%	12.4%	100.0%

**10. Percentage of MSM that have received an HIV test in the last 12 months and who know the results amongst men of all ages.**

% within Strategic Health Authority of residence

	Percent of respondents who have been tested for HIV and received results in last 12 months (excluding those who have been already diagnosed positive)		Total
	Did not receive HIV test result (last 12m)	Received HIV test result (last 12m)	
London	52.7%	47.3%	100.0%
South West	66.9%	33.1%	100.0%
South Central	64.6%	35.4%	100.0%
South East Coast	68.8%	31.2%	100.0%
East of England	67.5%	32.5%	100.0%
East Midlands	68.8%	31.2%	100.0%
West Midlands	63.6%	36.4%	100.0%
Yorkshire and The Humber	68.9%	31.1%	100.0%
North West	67.1%	32.9%	100.0%
North East	74.9%	25.1%	100.0%
SHA unknown	67.1%	32.9%	100.0%
Total	62.8%	37.2%	100.0%



**11. Percentage of men diagnosed positive among those who have ever been tested for HIV.**

% within Strategic Health Authority of residence

	Proportion of respondents who tested positive for HIV among those with known HIV test result		Total
	Last test negative	Diagnosed positive	
London	82.2%	17.8%	100.0%
South West	90.9%	9.1%	100.0%
South Central	90.9%	9.1%	100.0%
South East Coast	82.9%	17.1%	100.0%
East of England	89.1%	10.9%	100.0%
East Midlands	92.0%	8.0%	100.0%
West Midlands	84.7%	15.3%	100.0%
Yorkshire and The Humber	88.4%	11.6%	100.0%
North West	84.2%	15.8%	100.0%
North East	89.0%	11.0%	100.0%
SHA unknown	83.4%	16.6%	100.0%
Total	85.0%	15.0%	100.0%

**12.STI testing history and recency of STI testing.**

% within Strategic Health Authority of residence

	STI testing history			Total
	Never tested or don't know if tested	STI test in the last year	STI test over a year ago	
London	18.8%	55.1%	26.1%	100.0%
South West	33.3%	38.3%	28.4%	100.0%
South Central	32.6%	43.1%	24.3%	100.0%
South East Coast	31.3%	40.5%	28.3%	100.0%
East of England	38.8%	37.7%	23.5%	100.0%
East Midlands	37.1%	36.6%	26.3%	100.0%
West Midlands	36.3%	40.1%	23.6%	100.0%
Yorkshire and The Humber	31.5%	39.7%	28.8%	100.0%
North West	32.2%	41.9%	25.9%	100.0%
North East	43.1%	31.4%	25.5%	100.0%
SHA unknown	27.8%	42.8%	29.4%	100.0%
Total	28.6%	44.9%	26.5%	100.0%

## HEALTH NEEDS

### 13. Confidence in accessing HIV testing (amongst men not diagnosed HIV positive).

% within Strategic Health Authority of residence

	How confident are you that you could get an/another test for HIV if you wanted one?					Total
	Very confident	Quite confident	A little confident	Not at all confident	I don't know	
London	87.3%	9.4%	2.0%	.8%	.5%	100.0%
South West	75.8%	16.4%	4.3%	2.0%	1.6%	100.0%
South Central	76.6%	15.5%	4.6%	1.9%	1.4%	100.0%
South East Coast	79.2%	14.4%	3.0%	2.6%	.9%	100.0%
East of England	74.5%	16.2%	4.0%	2.8%	2.5%	100.0%
East Midlands	73.9%	15.3%	5.5%	3.5%	1.7%	100.0%
West Midlands	75.5%	17.1%	3.8%	2.0%	1.6%	100.0%
Yorkshire and The Humber	75.9%	15.6%	5.4%	2.5%	.7%	100.0%
North West	78.1%	14.1%	4.5%	1.8%	1.5%	100.0%
North East	71.3%	16.7%	4.8%	3.7%	3.5%	100.0%
SHA unknown	82.0%	12.4%	3.2%	1.1%	1.2%	100.0%
Total	80.2%	13.3%	3.5%	1.8%	1.2%	100.0%

**14.Perception of availability of free HIV testing (amongst men not diagnosed HIV positive).**

% within Strategic Health Authority of residence

	Can you personally get free HIV testing in the country you live in?		Total
	No / don't know	Yes	
London	10.4%	89.6%	100.0%
South West	17.2%	82.8%	100.0%
South Central	15.9%	84.1%	100.0%
South East Coast	14.8%	85.2%	100.0%
East of England	19.2%	80.8%	100.0%
East Midlands	19.2%	80.8%	100.0%
West Midlands	15.2%	84.8%	100.0%
Yorkshire and The Humber	14.9%	85.1%	100.0%
North West	13.9%	86.1%	100.0%
North East	19.3%	80.7%	100.0%
SHA unknown	11.7%	88.3%	100.0%
Total	13.9%	86.1%	100.0%

**15.Perception of availability of free STI testing (amongst men who had worn condoms).**

% within Strategic Health Authority of residence

	Can you personally get free STI testing in the country you live in?		Total
	No / don't know	Yes	
London	10.0%	90.0%	100.0%
South West	10.8%	89.2%	100.0%
South Central	12.3%	87.7%	100.0%
South East Coast	9.8%	90.2%	100.0%
East of England	12.3%	87.7%	100.0%
East Midlands	13.3%	86.7%	100.0%
West Midlands	8.9%	91.1%	100.0%
Yorkshire and The Humber	7.7%	92.3%	100.0%
North West	10.2%	89.8%	100.0%
North East	11.8%	88.2%	100.0%
SHA unknown	8.9%	91.1%	100.0%
Total	10.3%	89.7%	100.0%

**16. 'Knowledge on HIV-testing' the average score of respondents knowledge of five statements on HIV transmission testing and treatment.**

Mean

Strategic Health Authority of residence	The mean of respondents' scores on basic knowledge about HIV and testing
London	97.2222
South West	95.3073
South Central	95.4688
South East Coast	95.4892
East of England	94.6956
East Midlands	94.6721
West Midlands	94.6256
Yorkshire and The Humber	95.1074
North West	95.3212
North East	93.4141
SHA unknown	95.8944
Total	95.8362

**17. Percentage of MSM who both correctly identify ways of preventing the sexual transmission of HIV and who reject major misconceptions amongst men of all ages.**

% within Strategic Health Authority of residence

	UNGASS 14: Percentage correctly identifying ways of HIV transmission		Total
	Correctly identifies 0-4 respective items	Correctly identifies 5 respective items	
London	46.8%	53.2%	100.0%
South West	55.8%	44.2%	100.0%
South Central	55.5%	44.5%	100.0%
South East Coast	53.6%	46.4%	100.0%
East of England	56.1%	43.9%	100.0%
East Midlands	55.1%	44.9%	100.0%
West Midlands	52.6%	47.4%	100.0%
Yorkshire and The Humber	51.2%	48.8%	100.0%
North West	54.4%	45.6%	100.0%
North East	59.2%	40.8%	100.0%
SHA unknown	54.7%	45.3%	100.0%
Total	52.1%	47.9%	100.0%

**18.Recency of not having a condom when desired.**

% within Strategic Health Authority of residence

	When was the last time you wanted a condom but did not have one?						Total
	Within the last 7 days	Within the last 4 weeks	Within the last 6 months	Within the last 12 months	Within the last 5 years	More than 5 years ago or Never	
London	2.4%	4.0%	7.4%	5.9%	10.2%	70.2%	100.0%
South West	2.9%	3.3%	5.7%	6.7%	8.4%	73.0%	100.0%
South Central	3.5%	3.2%	6.7%	4.7%	6.9%	75.1%	100.0%
South East Coast	2.3%	3.3%	5.6%	4.9%	8.8%	75.0%	100.0%
East of England	3.1%	3.8%	6.1%	5.5%	7.1%	74.5%	100.0%
East Midlands	2.6%	5.0%	6.3%	5.7%	8.3%	72.1%	100.0%
West Midlands	2.6%	3.6%	5.6%	4.5%	8.3%	75.5%	100.0%
Yorkshire and The Humber	2.5%	3.9%	4.6%	4.7%	7.9%	76.4%	100.0%
North West	3.5%	3.6%	6.8%	5.0%	8.0%	73.0%	100.0%
North East	3.9%	3.5%	6.3%	6.1%	5.9%	74.4%	100.0%
SHA unknown	2.9%	3.1%	6.6%	5.2%	7.7%	74.4%	100.0%
Total	2.8%	3.7%	6.5%	5.4%	8.6%	73.0%	100.0%



**19.Concern about alcohol consumption.**

% within Strategic Health Authority of residence

	Any concern about alcohol use		Total
	No	Yes	
London	76.4%	23.6%	100.0%
South West	83.0%	17.0%	100.0%
South Central	81.0%	19.0%	100.0%
South East Coast	79.0%	21.0%	100.0%
East of England	82.7%	17.3%	100.0%
East Midlands	79.3%	20.7%	100.0%
West Midlands	80.1%	19.9%	100.0%
Yorkshire and The Humber	78.7%	21.3%	100.0%
North West	78.2%	21.8%	100.0%
North East	79.6%	20.4%	100.0%
SHA unknown	78.1%	21.9%	100.0%
Total	78.7%	21.3%	100.0%

**20.Concern about recreational drug use.**

% within Strategic Health Authority of residence

	Any concern about drug use		Total
	No	Yes	
London	91.4%	8.6%	100.0%
South West	95.6%	4.4%	100.0%
South Central	95.6%	4.4%	100.0%
South East Coast	94.6%	5.4%	100.0%
East of England	96.1%	3.9%	100.0%
East Midlands	96.8%	3.2%	100.0%
West Midlands	94.8%	5.2%	100.0%
Yorkshire and The Humber	95.3%	4.7%	100.0%
North West	95.4%	4.6%	100.0%
North East	96.9%	3.1%	100.0%
SHA unknown	93.8%	6.2%	100.0%
Total	94.0%	6.0%	100.0%

## SEXUALBEHAVIOUR

### 21.Recency of any sex with male partners.

% within Strategic Health Authority of residence

	When did you last have any kind of sex with a man (please include any sexual contact, not just anal intercourse)?						Total
	Within the last 7 days	Within the last 4 weeks	Within the last 6 months	Within the last 12 months	Within the last 5 years	More than 5 years ago	
London	62.4%	22.2%	8.8%	3.0%	2.3%	1.4%	100.0%
South West	56.1%	20.3%	12.2%	4.5%	3.9%	3.0%	100.0%
South Central	54.2%	21.6%	12.6%	4.6%	4.0%	3.0%	100.0%
South East Coast	56.2%	21.4%	12.3%	3.9%	3.4%	2.7%	100.0%
East of England	55.5%	20.9%	14.6%	3.2%	3.6%	2.2%	100.0%
East Midlands	51.9%	18.9%	15.2%	5.8%	4.5%	3.7%	100.0%
West Midlands	54.9%	23.9%	12.6%	2.9%	3.1%	2.6%	100.0%
Yorkshire and The Humber	51.5%	21.8%	15.5%	5.0%	4.2%	2.0%	100.0%
North West	52.3%	23.7%	13.7%	3.8%	3.8%	2.7%	100.0%
North East	51.0%	22.2%	14.4%	3.5%	5.5%	3.5%	100.0%
SHA unknown	60.0%	20.7%	10.0%	4.3%	2.6%	2.5%	100.0%
Total	57.3%	21.8%	11.6%	3.8%	3.2%	2.3%	100.0%

**22. Condom failure (tearing or slipping) in the previous 12 months.**

% within Strategic Health Authority of residence

	In the last 12 months has a condom you were wearing torn or slipped off during intercourse?				Total
	No	Yes, one time	Yes, more than one time	I don't know	
London	83.2%	11.1%	4.3%	1.4%	100.0%
South West	83.9%	10.8%	4.1%	1.3%	100.0%
South Central	83.4%	12.2%	3.5%	1.0%	100.0%
South East Coast	82.3%	12.6%	3.6%	1.5%	100.0%
East of England	82.4%	11.6%	3.9%	2.1%	100.0%
East Midlands	82.8%	10.8%	5.3%	1.1%	100.0%
West Midlands	86.1%	9.8%	3.2%	.9%	100.0%
Yorkshire and The Humber	83.6%	12.4%	3.7%	.4%	100.0%
North West	81.1%	13.0%	4.0%	1.9%	100.0%
North East	80.8%	13.9%	4.9%	.3%	100.0%
SHA unknown	84.4%	10.4%	3.6%	1.6%	100.0%
Total	83.2%	11.5%	4.0%	1.4%	100.0%

**23.Communication of HIV status prior to or during sex with last non-steady male sexual partner.**

% within Strategic Health Authority of residence

	What did you tell him about your HIV status before or during sex?					Total
	I told him I didn't know my HIV status	I told him I was HIV negative	I told him I was HIV positive	I said nothing about my HIV status	I don't remember	
London	1.4%	21.2%	6.6%	68.0%	2.8%	100.0%
South West	1.9%	20.2%	1.9%	71.7%	4.2%	100.0%
South Central	2.7%	23.1%	2.4%	69.0%	2.8%	100.0%
South East Coast	2.7%	20.7%	7.3%	64.8%	4.5%	100.0%
East of England	2.3%	24.0%	3.7%	67.1%	3.0%	100.0%
East Midlands	1.7%	22.8%	1.9%	68.8%	4.8%	100.0%
West Midlands	2.8%	26.6%	4.8%	62.5%	3.3%	100.0%
Yorkshire and The Humber	3.7%	21.1%	3.2%	66.7%	5.3%	100.0%
North West	2.6%	21.0%	5.6%	67.5%	3.3%	100.0%
North East	2.3%	21.1%	3.1%	69.2%	4.3%	100.0%
SHA unknown	3.2%	24.1%	5.9%	63.2%	3.6%	100.0%
Total	2.2%	22.0%	5.1%	67.1%	3.5%	100.0%

**24. Percentage of MSM aged 15-49 who have had anal or vaginal intercourse with more than one partner in the last 12 months.**

% within Strategic Health Authority of residence

	UNGASS 16: Percentage of adults aged 15-49 who have had anal or vaginal intercourse with more than one partner in the last 12 months		Total
	none or one anal/vaginal intercourse partner in the last 12 months	more than one anal/vaginal intercourse partner in the last 12 months	
London	30.2%	69.8%	100.0%
South West	40.2%	59.8%	100.0%
South Central	36.3%	63.7%	100.0%
South East Coast	41.3%	58.7%	100.0%
East of England	39.8%	60.2%	100.0%
East Midlands	44.1%	55.9%	100.0%
West Midlands	39.1%	60.9%	100.0%
Yorkshire and The Humber	40.2%	59.8%	100.0%
North West	41.8%	58.2%	100.0%
North East	45.4%	54.6%	100.0%
SHA unknown	36.8%	63.2%	100.0%
Total	36.4%	63.6%	100.0%

**25. Percentage of MSM reporting the use of a condom: the last time they had anal sex with a male partner within the last 6 months amongst men of all ages.**

% within Strategic Health Authority of residence

	UNGASS 19: Percentage of MSM reporting condom use the last time they had anal sex with a male partner (within last 6 months)		Total
	Last anal sex without a condom	Used condom during last anal sex	
London	39.9%	60.1%	100.0%
South West	48.0%	52.0%	100.0%
South Central	49.6%	50.4%	100.0%
South East Coast	48.5%	51.5%	100.0%
East of England	48.6%	51.4%	100.0%
East Midlands	49.9%	50.1%	100.0%
West Midlands	48.6%	51.4%	100.0%
Yorkshire and The Humber	47.0%	53.0%	100.0%
North West	51.1%	48.9%	100.0%
North East	50.1%	49.9%	100.0%
SHA unknown	44.6%	55.4%	100.0%
Total	45.5%	54.5%	100.0%

## HATE CRIME

### 26.Experience of homophobic stares and intimidation.

% within Strategic Health Authority of residence

	When was the last time you were stared at or intimidated because someone knew or presumed you are attracted to men?						Total
	Within the last 7 days	Within the last 4 weeks	Within the last 6 months	Within the last 12 months	Within the last 5 years	More than 5 years ago or Never	
London	9.8%	8.6%	12.7%	11.5%	17.9%	39.3%	100.0%
South West	10.0%	6.9%	11.1%	11.8%	14.0%	46.2%	100.0%
South Central	11.8%	6.8%	8.5%	10.3%	14.6%	48.0%	100.0%
South East Coast	12.2%	8.6%	11.7%	10.3%	13.9%	43.3%	100.0%
East of England	13.3%	6.4%	11.4%	10.4%	14.0%	44.5%	100.0%
East Midlands	12.6%	7.8%	11.1%	9.1%	14.8%	44.6%	100.0%
West Midlands	11.2%	9.1%	11.8%	8.8%	13.2%	45.9%	100.0%
Yorkshire and The Humber	12.6%	7.7%	12.0%	11.1%	12.3%	44.3%	100.0%
North West	12.7%	8.3%	11.6%	11.1%	13.9%	42.4%	100.0%
North East	11.2%	8.3%	10.8%	9.6%	12.8%	47.4%	100.0%
SHA unknown	11.0%	8.1%	9.5%	10.3%	14.7%	46.4%	100.0%
Total	11.2%	8.1%	11.5%	10.8%	15.2%	43.2%	100.0%



**27.Experience of homophobic verbal abuse.**

% within Strategic Health Authority of residence

	When was the last time you had verbal insults directed at you, because someone knew or presumed you are attracted to men?						Total
	Within the last 7 days	Within the last 4 weeks	Within the last 6 months	Within the last 12 months	Within the last 5 years	More than 5 years ago or Never	
London	4.0%	5.6%	10.4%	11.3%	23.6%	45.0%	100.0%
South West	5.2%	5.1%	9.9%	11.4%	18.5%	49.7%	100.0%
South Central	6.5%	4.7%	10.1%	9.0%	18.0%	51.7%	100.0%
South East Coast	5.7%	6.7%	9.3%	10.4%	19.3%	48.7%	100.0%
East of England	7.0%	5.3%	9.7%	10.2%	16.7%	51.1%	100.0%
East Midlands	4.9%	7.8%	10.8%	9.6%	16.7%	50.1%	100.0%
West Midlands	6.2%	5.3%	13.3%	11.2%	17.5%	46.5%	100.0%
Yorkshire and The Humber	7.6%	5.8%	9.6%	13.1%	18.1%	45.9%	100.0%
North West	7.4%	7.0%	11.2%	11.6%	18.5%	44.3%	100.0%
North East	5.9%	7.3%	9.6%	11.8%	19.3%	46.0%	100.0%
SHA unknown	4.5%	6.6%	8.0%	10.0%	17.9%	52.9%	100.0%
Total	5.4%	6.0%	10.2%	11.0%	19.9%	47.6%	100.0%

**28.Experience of homophobic physical abuse.**

% within Strategic Health Authority of residence

	When was the last time you were punched, hit, kicked, or beaten because someone knew or presumed you are attracted to men?						Total
	Within the last 7 days	Within the last 4 weeks	Within the last 6 months	Within the last 12 months	Within the last 5 years	More than 5 years ago or Never	
London	.2%	.3%	.9%	1.4%	6.2%	91.0%	100.0%
South West	.2%	.3%	.9%	1.9%	5.5%	91.2%	100.0%
South Central	.4%	.2%	1.5%	1.3%	7.1%	89.5%	100.0%
South East Coast	.6%	.5%	1.2%	1.5%	6.5%	89.7%	100.0%
East of England	.5%	.6%	1.3%	2.0%	5.6%	89.9%	100.0%
East Midlands	.4%	.4%	1.2%	1.1%	6.8%	90.0%	100.0%
West Midlands		.6%	.4%	1.8%	7.1%	90.1%	100.0%
Yorkshire and The Humber	.7%	.4%	1.0%	2.3%	6.4%	89.3%	100.0%
North West	.5%	.7%	1.6%	2.0%	7.6%	87.6%	100.0%
North East	.2%	.8%	1.6%	1.6%	8.1%	87.6%	100.0%
SHA unknown	.5%	.5%	1.6%	2.0%	6.2%	89.1%	100.0%
Total	.4%	.4%	1.2%	1.7%	6.5%	89.9%	100.0%

## INTERVENTION PERFORMANCE

### 29.Recency of hearing any information about HIV or STIs specifically for men who have sex with men.

% within Strategic Health Authority of residence

	When was the last time you saw or heard any information about HIV or STIs specifically for men who have sex with men?						Total
	Within the last 7 days	Within the last 4 weeks	Within the last 6 months	Within the last 12 months	Within the last 5 years	More than 5 years ago or Never	
London	37.3%	23.1%	21.5%	10.4%	4.5%	3.3%	100.0%
South West	26.6%	19.7%	24.2%	14.1%	8.4%	7.0%	100.0%
South Central	25.2%	21.9%	23.1%	12.8%	8.3%	8.7%	100.0%
South East Coast	31.0%	19.9%	21.8%	13.1%	8.0%	6.2%	100.0%
East of England	24.4%	20.5%	22.3%	15.2%	8.2%	9.4%	100.0%
East Midlands	24.8%	19.0%	22.2%	18.2%	7.3%	8.6%	100.0%
West Midlands	29.0%	21.1%	23.5%	12.7%	6.0%	7.7%	100.0%
Yorkshire and The Humber	27.7%	21.2%	22.5%	14.4%	6.5%	7.7%	100.0%
North West	30.3%	22.7%	22.1%	12.6%	5.2%	7.0%	100.0%
North East	27.2%	18.5%	22.1%	12.4%	7.1%	12.8%	100.0%
SHA unknown	31.1%	21.5%	21.8%	13.1%	6.3%	6.3%	100.0%
Total	31.2%	21.6%	22.2%	12.6%	6.2%	6.3%	100.0%

**30. Percentage of MSM reached with HIV prevention programmes amongst men of all ages.**

% within Strategic Health Authority of residence

	UNGASS 9: Reached with (targeted) HIV prevention programmes		Total
	EMIS-criteria for UNGASS 9 not met	EMIS-criteria for UNGASS 9 met	
London	18.8%	81.2%	100.0%
South West	31.1%	68.9%	100.0%
South Central	31.5%	68.5%	100.0%
South East Coast	27.4%	72.6%	100.0%
East of England	33.0%	67.0%	100.0%
East Midlands	33.2%	66.8%	100.0%
West Midlands	28.7%	71.3%	100.0%
Yorkshire and The Humber	29.8%	70.2%	100.0%
North West	28.7%	71.3%	100.0%
North East	35.4%	64.6%	100.0%
SHA unknown	27.4%	72.6%	100.0%
Total	26.3%	73.7%	100.0%

**END**