

Vital Statistics 2003 The UK Gay Men's Sex Survey

Wales Health Board of residence data report

(updated May 2008)

The *Gay Men's Sex Survey* 2003 was conducted by Sigma Research in collaboration with health promoters throughout Britain and Ireland. This report supplements the main annual report for the survey called *On the move: findings from the United Kingdom Gay Men's Sex Survey, 2003*. It is available at: www.sigmaresearch.org.uk/go.php/reports/report2004g/

Survey methods and interpretation of the data were outlined in that report. This data report is intended to provide HIV health promotion planners with information about their local population. The report contains data from men who live in Wales and for whom Health Board of residence is known. Respondents are grouped according to the Board in which they live.

The data

The survey used two data collection methods over the summer of 2003:

- (1) A self-sealing, Freepost addressed booklet distributed by 124 British HIV health promotion and gay agencies;
- (2) On a specific website promoted via links on 35 gay and HIV-related websites. Two websites, gay.com/uk and gaydar.co.uk, conducted substantial paid for promotion of the survey

This report contains data from all the men recruited through **both methods**.

To be included in this sample respondents had to:

- be male;
- be aged 14 or over;
- be living in Wales;
- have had sex with a man in the last year and / or expect to have sex with a man in the future;
- have completed at least one demographic question and one other question.

Differences between the number of surveys returned and the number of men who appear in the sample are due to these exclusions.

The tables

Groups of men living in the same Health Board appear as a row (lines across) in the tables. The bottom row of each table gives the result for all the residents of Wales. The first table shows the number of men recruited to the survey living in each Board and the size of the sub-samples in the rest of the tables. The tables show the proportions (%) of each sub-sample for that variable (less missing data). Rows add up to 100%. The only exception to this layout is table 3 (Age Averages).

Questionnaires

The contents page identifies the Booklet question number (Q) each table is derived from. The questionnaire used in the survey is available to download at:

www.sigmaresearch.org.uk/files/VS2003booklet.pdf

Funding

In Northern Ireland this research was funded by the Rainbow Project. In Scotland, by Healthy Gay Scotland, a Scottish Executive funded HIV prevention initiative. In England and Wales, by Terrence Higgins Trust as part of CHAPS, a national HIV prevention initiative funded by the English Department of Health and Welsh Assembly.



Table Contents

SAMPLE DESCRIPTION

1. Web and Booklet sample sizes.
2. Age groups; Q1 grouped into ten year age bands.
3. Age averages; from Q1 the age of the youngest and oldest man, their median age (line them up by size and pick the one in the middle), mean age (add them up and divide by how many there are), and a measure of how spread out along the range they are (the standard deviation).
4. Ethnicity; Q2.
5. Formal education; from Q3, low is educated to O-levels / CSEs / GCSE or equivalent; high is educated to degree level; medium includes A-levels, diplomas and professional qualifications.
6. Annual income; Q9.
7. Perceived financial management ; Q12.
8. HIV testing history; Q16.
9. GP registration; Q32.
10. Awareness by GP staff of sex with men (those who are registered with a GP); Q33.

SOCIO-SEXUAL CONTEXT

11. Gender of sexual partner in the last year; Q20.
12. Number of male sexual partners in the last year; Q22 (those who had sex with men).
13. HIV concordancy of regular relationship; Q13 & Q15.

SEXUAL RISK BEHAVIOURS

14. Number of partners with whom had receptive unprotected anal intercourse (RUAI), in the last year (those who had male partners); Q23.
15. Likelihood of having RUAI with a man with a different HIV status (among those who had RUAI in the last year); Q24.
16. Number of partners with whom had insertive unprotected anal intercourse (IUAI), in the last year (those who had male partners); Q25.
17. Likelihood of having IUAI with a man with a different HIV status (among those who had IUAI in the last year); Q26.

UNMET HIV PREVENTION NEEDS

18. Sexual assault in the last 12 months; Q27.
19. Difficulty getting hold of condoms; Q28.
20. Difficulty getting hold of water based lube; Q28.

CONDOM SOURCES

- Experience of getting condoms in the previous 12 months; Q29
21. Bought condoms
 22. Got condoms free
 23. Sexual partners usually had condoms
 24. Friends usually gave condoms

HIV KNOWLEDGE

25. *An HIV negative man is more likely to pick up HIV by getting fucked by an HIV positive man than by fucking him; Q31.*
26. *When fucking an HIV negative man without a condom, an HIV positive man is more likely to pass on HIV infection if either of them already has another sexually transmitted infection; Q31.*
27. *Men can have HIV without knowing it; Q31.*
28. *When fucking an HIV negative man without a condom, an HIV positive man is more likely to pass on HIV infection if he ejaculates (cums) in his partner; Q31.*
29. *Condoms are less likely to break if you use a water-based lubricant; Q31.*
30. *An HIV positive man who has undetectable viral load (in his blood) can still pass on HIV; Q31.*

POST EXPOSURE PROPHYLAXIS

31. Heard of Post Exposure Prophylaxis (PEP); Q45.
32. Tried to get PEP; Q46.
33. Ever taken PEP; Q47.
34. Know anyone who received PEP; Q48.
35. If you thought you had been exposed to HIV would you consider trying to get PEP? (those not tested HIV positive); Q49.

Sigma Research
77a Tradescant Road,
London, SW8 1XJ
www.sigmaresearch.org.uk

Ph: 020-7820 8022
Fax: 020-7793 8009
Email: David.Reid@sigmaresearch.org.uk

Vital Statistics 2003
The UK Gay Men's Sex Survey
Wales Health Board of residence data report (May 2008)

Sample sizes and descriptions

1. Web and Booklet sample sizes.

Count

	distribution method		Total
	web	booklet	
Blaenau Gwent	8	1	9
Bridgend	7	1	8
Caerphilly	16	5	21
Ceredigion	21	1	22
Carmarthenshire	22	5	27
Conwy	10	2	12
Denbigshire	12	2	14
Flintshire	18	3	21
Gwynedd	11	0	11
Anglesey	5	0	5
Merthyr Tydfil	5	0	5
Monmouthshire	6	4	10
Newport	15	7	22
Pembrokeshire	9	0	9
Powys	19	8	27
Rhondda Cynon Taf	32	7	39
Torfaen	12	1	13
Wrexham	13	2	15
Cardiff	100	18	118
Swansea	52	4	56
Neath Port Talbot	30	2	32
Vale of Glamorgan	13	3	16
Local Authority unknown	48	8	56
Total	484	84	568

2. Age groups.

% within Health Board of residence

	Age				
	<20	20s	30s	40s	50+
Bridgend	100.0%				
Caerphilly	20.0%	40.0%	26.7%	6.7%	6.7%
Ceredigion	26.3%	42.1%	10.5%	5.3%	15.8%
Carmarthenshire	9.1%	31.8%	18.2%	22.7%	18.2%
Flintshire	31.3%	12.5%	31.3%	18.8%	6.3%
Newport	16.7%	22.2%	33.3%	11.1%	16.7%
Powys	16.7%	20.8%	33.3%	16.7%	12.5%
Rhondda Cynon Taf	13.3%	33.3%	20.0%	26.7%	6.7%
Cardiff	6.5%	33.3%	35.5%	17.2%	7.5%
Swansea	17.1%	36.6%	24.4%	12.2%	9.8%
Neath Port Talbot	33.3%	16.7%	37.5%	8.3%	4.2%
All other Welsh Men	11.9%	33.6%	29.9%	17.2%	7.5%
Total	14.6%	31.4%	29.1%	16.0%	8.9%

3. Age averages.

age

Health Board of residence	Median	Minimum	Maximum	Mean	Std. Deviation
Bridgend	17.00	17	17	17.00	.
Caerphilly	27.00	17	50	28.67	9.439
Ceredigion	23.00	16	66	28.95	14.424
Carmarthenshire	38.50	15	64	37.27	13.874
Flintshire	30.50	17	55	30.50	11.742
Newport	33.50	16	65	35.56	13.712
Powys	33.00	17	65	34.08	12.378
Rhondda Cynon Taf	30.50	17	60	32.77	12.056
Cardiff	32.00	15	65	32.60	10.486
Swansea	27.00	17	68	31.39	12.684
Neath Port Talbot	30.00	15	52	28.67	10.590
All other Welsh Men	30.00	15	72	31.76	11.994
Total	30.00	15	72	32.06	11.943

4. Ethnicity.

% within Health Board of residence

	Ethnicity			
	White	Black	Asian	Mixed and other
Bridgend	100.0%			
Caerphilly	100.0%			
Ceredigion	100.0%			
Carmarthenshire	100.0%			
Flintshire	100.0%			
Newport	95.5%	4.5%		
Powys	100.0%			
Rhondda Cynon Taf	97.4%	2.6%		
Cardiff	98.3%		.8%	.8%
Swansea	98.2%		1.8%	
Neath Port Talbot	100.0%			
All other Welsh Men	96.7%	.5%	1.1%	1.6%
Total	98.1%	.5%	.7%	.7%

5. Formal education.

% within Health Board of residence

	Education		
	low	medium	high
Bridgend		100.0%	
Caerphilly	28.6%	42.9%	28.6%
Ceredigion	18.2%	31.8%	50.0%
Carmarthenshire	37.0%	40.7%	22.2%
Flintshire	47.6%	38.1%	14.3%
Newport	36.4%	18.2%	45.5%
Powys	29.6%	40.7%	29.6%
Rhondda Cynon Taf	30.8%	20.5%	48.7%
Cardiff	20.3%	24.6%	55.1%
Swansea	17.9%	32.1%	50.0%
Neath Port Talbot	21.9%	46.9%	31.3%
All other Welsh Men	28.6%	38.5%	33.0%
Total	26.6%	33.6%	39.8%

6. Annual income.

% within Health Board of residence

	Annual income			
	<10 000	£10 000 - 19999	£20 000 - 29 999	£30 000 and greater
Bridgend	100.0%			
Caerphilly	19.0%	42.9%	28.6%	9.5%
Ceredigion	57.1%	19.0%	23.8%	
Carmarthenshire	25.9%	40.7%	22.2%	11.1%
Flintshire	19.0%	47.6%	28.6%	4.8%
Newport	15.8%	36.8%	21.1%	26.3%
Powys	26.9%	23.1%	26.9%	23.1%
Rhondda Cynon Taf	20.5%	35.9%	28.2%	15.4%
Cardiff	19.5%	36.4%	27.1%	16.9%
Swansea	19.6%	41.1%	26.8%	12.5%
Neath Port Talbot	50.0%	18.8%	18.8%	12.5%
All other Welsh Men	27.1%	38.1%	18.2%	16.6%
Total	25.8%	35.9%	23.3%	14.9%

7. Perceived financial management.

% within Health Board of residence

	How are you managing financially?				
	Living comfortably	Doing alright	Just about getting by	Finding it quite difficult	Finding it very difficult
Bridgend		100.0%			
Caerphilly	28.6%	33.3%	14.3%	14.3%	9.5%
Ceredigion	18.2%	36.4%	27.3%	13.6%	4.5%
Carmarthenshire	11.1%	59.3%	22.2%	3.7%	3.7%
Flintshire	4.8%	38.1%	38.1%	19.0%	
Newport	28.6%	47.6%	19.0%	4.8%	
Powys	19.2%	46.2%	23.1%	7.7%	3.8%
Rhondda Cynon Taf	25.6%	43.6%	15.4%	7.7%	7.7%
Cardiff	19.7%	37.6%	27.4%	12.8%	2.6%
Swansea	18.5%	38.9%	18.5%	13.0%	11.1%
Neath Port Talbot	25.0%	34.4%	18.8%	15.6%	6.3%
All other Welsh Men	27.4%	40.8%	20.1%	8.9%	2.8%
Total	22.3%	40.7%	22.0%	10.7%	4.3%

8. HIV testing history.

% within Health Board of residence

	HIV testing history		
	Tested positive	Last test negative	Never tested
Bridgend			100.0%
Caerphilly		33.3%	66.7%
Ceredigion		27.3%	72.7%
Carmarthenshire		44.4%	55.6%
Flintshire	4.8%	23.8%	71.4%
Newport		52.4%	47.6%
Powys	7.7%	19.2%	73.1%
Rhondda Cynon Taf	7.7%	30.8%	61.5%
Cardiff	6.8%	45.8%	47.5%
Swansea	3.6%	35.7%	60.7%
Neath Port Talbot		18.8%	81.3%
All other Welsh Men	3.9%	38.3%	57.8%
Total	4.1%	36.7%	59.2%

9. GP registration.

% within Health Board of residence

	Registration with a GP	
	No	Yes
Bridgend		100.0%
Caerphilly		100.0%
Ceredigion	4.8%	95.2%
Carmarthenshire		100.0%
Flintshire	4.8%	95.2%
Newport	9.5%	90.5%
Powys		100.0%
Rhondda Cynon Taf		100.0%
Cardiff	8.5%	91.5%
Swansea	5.5%	94.5%
Neath Port Talbot	6.3%	93.8%
All other Welsh Men	3.9%	96.1%
Total	4.6%	95.4%

10. Awareness by GP staff of sex with men (those who are registered with a GP).

% within Health Board of residence

	GP staff aware of sexuality		
	No	Yes	Don't know
Bridgend			100.0%
Caerphilly	73.7%	15.8%	10.5%
Ceredigion	73.7%	15.8%	10.5%
Carmarthenshire	55.6%	29.6%	14.8%
Flintshire	95.0%		5.0%
Newport	47.4%	26.3%	26.3%
Powys	61.5%	30.8%	7.7%
Rhondda Cynon Taf	73.7%	13.2%	13.2%
Cardiff	50.9%	30.6%	18.5%
Swansea	65.4%	15.4%	19.2%
Neath Port Talbot	80.0%	10.0%	10.0%
All other Welsh Men	63.0%	21.4%	15.6%
Total	63.3%	21.2%	15.4%

Socio-sexual context

11. Gender of sexual partners in the last year.

% within Health Board of residence

	Gender of sexual partners			
	no one	women only	men only	both men and women
Bridgend	100.0%			
Caerphilly		4.8%	81.0%	14.3%
Ceredigion	4.5%	4.5%	81.8%	9.1%
Carmarthenshire	3.7%	3.7%	81.5%	11.1%
Flintshire	9.5%	9.5%	66.7%	14.3%
Newport	13.6%		72.7%	13.6%
Powys	3.7%		88.9%	7.4%
Rhondda Cynon Taf	2.6%	5.1%	74.4%	17.9%
Cardiff	3.4%	.8%	86.4%	9.3%
Swansea	7.1%	1.8%	75.0%	16.1%
Neath Port Talbot	12.5%	9.4%	62.5%	15.6%
All other Welsh Men	4.9%	1.6%	76.4%	17.0%
Total	5.5%	2.6%	78.0%	13.9%

12. Number of male sexual partners in the last year (those who had sex with men).

% within Health Board of residence

	Number of male partners				
	one	2,3 or 4	5 to 12	13 to 29	30+
Caerphilly	25.0%	40.0%	25.0%	10.0%	
Ceredigion	40.0%	40.0%	10.0%	10.0%	
Carmarthenshire	12.0%	32.0%	36.0%	12.0%	8.0%
Flintshire	35.3%	41.2%	11.8%	5.9%	5.9%
Newport	12.5%	50.0%	18.8%		18.8%
Powys	37.5%	29.2%	12.5%	12.5%	8.3%
Rhondda Cynon Taf	11.1%	36.1%	16.7%	19.4%	16.7%
Cardiff	21.6%	35.1%	18.9%	14.4%	9.9%
Swansea	21.6%	43.1%	17.6%	11.8%	5.9%
Neath Port Talbot	12.0%	32.0%	36.0%	4.0%	16.0%
All other Welsh Men	18.2%	36.4%	20.0%	15.2%	10.3%
Total	20.6%	36.9%	20.0%	12.9%	9.6%

13. HIV concordancy of regular relationship.

% within Health Board of residence

	HIV concordancy or regular relationship			
	Single	HIV concordant	HIV discordant	Concordancy unknown
Bridgend	100.0%			
Caerphilly	45.0%	45.0%	5.0%	5.0%
Ceredigion	59.1%	22.7%		18.2%
Carmarthenshire	59.3%	22.2%	3.7%	14.8%
Flintshire	68.4%	26.3%		5.3%
Newport	38.1%	47.6%	4.8%	9.5%
Powys	34.6%	34.6%		30.8%
Rhondda Cynon Taf	55.3%	34.2%	2.6%	7.9%
Cardiff	45.2%	38.3%	3.5%	13.0%
Swansea	55.4%	30.4%	1.8%	12.5%
Neath Port Talbot	56.3%	25.0%		18.8%
All other Welsh Men	50.8%	29.1%	2.8%	17.3%
Total	50.7%	32.0%	2.5%	14.7%

Sexual Risk Behaviours [see contents for acronyms]

14. Number of RUAI partners in the last year (those who had male partners).

% within Health Board of residence

	Number of RUAI partners			
	none	one	two, three or four	5 or more
Caerphilly	52.6%	36.8%	10.5%	
Ceredigion	70.0%	15.0%	15.0%	
Carmarthenshire	66.7%	25.0%	8.3%	
Flintshire	70.6%	17.6%	11.8%	
Newport	53.3%	33.3%	13.3%	
Powys	70.8%	20.8%	8.3%	
Rhondda Cynon Taf	61.1%	19.4%	19.4%	
Cardiff	62.2%	23.4%	9.9%	4.5%
Swansea	70.6%	15.7%	11.8%	2.0%
Neath Port Talbot	52.0%	20.0%	24.0%	4.0%
All other Welsh Men	52.4%	29.5%	15.1%	3.0%
Total	59.8%	24.4%	13.4%	2.4%

15. Likelihood of having RUAI with a man with a different HIV status (among those who had RUAI in the last year).

% within Health Board of residence

	Likelihood of having SdRUAI		
	Probably/Definitely have been	I may have, may not have been	Probably/definitely have not been
Caerphilly			100.0%
Ceredigion		16.7%	83.3%
Carmarthenshire		37.5%	62.5%
Flintshire		20.0%	80.0%
Newport		14.3%	85.7%
Powys	14.3%	14.3%	71.4%
Rhondda Cynon Taf	30.8%	7.7%	61.5%
Cardiff	14.3%	23.8%	61.9%
Swansea	6.7%		93.3%
Neath Port Talbot		25.0%	75.0%
All other Welsh Men	7.6%	16.5%	75.9%
Total	8.9%	16.7%	74.4%

16. Number of IUI partners in the last year (those who had male partners).

% within Health Board of residence

	Number of IUI partners			
	none	one	two, three or four	5 or more
Caerphilly	63.2%	26.3%	5.3%	5.3%
Ceredigion	70.0%	25.0%	5.0%	
Carmarthenshire	70.8%	16.7%	8.3%	4.2%
Flintshire	76.5%	17.6%		5.9%
Newport	33.3%	40.0%	26.7%	
Powys	64.0%	24.0%	12.0%	
Rhondda Cynon Taf	50.0%	30.6%	16.7%	2.8%
Cardiff	56.8%	27.9%	10.8%	4.5%
Swansea	72.5%	17.6%	7.8%	2.0%
Neath Port Talbot	60.0%	16.0%	20.0%	4.0%
All other Welsh Men	54.5%	26.3%	15.6%	3.6%
Total	59.0%	25.1%	12.5%	3.3%

17. Likelihood of having IUI with a man with a different HIV status (those who had IUI in the last year).

% within Health Board of residence

	Likelihood of having SdIUI		
	Probably/Definitely have been	I may have, may not have been	Probably/definitely have not been
Caerphilly			100.0%
Ceredigion		33.3%	66.7%
Carmarthenshire		42.9%	57.1%
Flintshire			100.0%
Newport	20.0%	10.0%	70.0%
Powys	11.1%	11.1%	77.8%
Rhondda Cynon Taf	16.7%	16.7%	66.7%
Cardiff	12.5%	31.3%	56.3%
Swansea		7.1%	92.9%
Neath Port Talbot		30.0%	70.0%
All other Welsh Men	11.8%	17.1%	71.1%
Total	10.0%	20.1%	69.9%

Unmet HIV Prevention Needs

18. Sexual Assault in the last 12 months.

% within Health Board of residence

	Forced to have sex	
	No	Yes
Bridgend	100.0%	
Caerphilly	100.0%	
Ceredigion	95.5%	4.5%
Carmarthenshire	96.3%	3.7%
Flintshire	95.2%	4.8%
Newport	100.0%	
Powys	96.3%	3.7%
Rhondda Cynon Taf	89.7%	10.3%
Cardiff	91.5%	8.5%
Swansea	89.3%	10.7%
Neath Port Talbot	93.8%	6.3%
All other Welsh Men	87.9%	12.1%
Total	91.5%	8.5%

19. "I sometimes have a problem getting hold of condoms".

% within Health Board of residence

	Problem getting hold of condoms				
	strongly agree	agree	not sure	disagree	strongly disagree
Bridgend				100.0%	
Caerphilly		14.3%	4.8%	38.1%	42.9%
Ceredigion	9.1%	9.1%	9.1%	18.2%	54.5%
Carmarthenshire	3.7%	3.7%	3.7%	51.9%	37.0%
Flintshire	4.8%		23.8%	38.1%	33.3%
Newport	4.8%	9.5%	4.8%	28.6%	52.4%
Powys		19.2%	3.8%	30.8%	46.2%
Rhondda Cynon Taf	10.5%	13.2%	5.3%	28.9%	42.1%
Cardiff	1.7%	11.9%	2.5%	36.4%	47.5%
Swansea	1.8%	10.7%	3.6%	30.4%	53.6%
Neath Port Talbot		12.5%	3.1%	31.3%	53.1%
All other Welsh Men	9.3%	11.0%	8.8%	25.8%	45.1%
Total	5.1%	11.0%	6.2%	31.3%	46.4%

20. "Water-based lube is sometimes hard to get hold of".

% within Health Board of residence

	Problem getting hold of water-based lube				
	strongly agree	agree	not sure	disagree	strongly disagree
Bridgend			100.0%		
Caerphilly	4.8%	23.8%	4.8%	33.3%	33.3%
Ceredigion	9.1%	40.9%	9.1%	4.5%	36.4%
Carmarthenshire	3.7%	3.7%	18.5%	44.4%	29.6%
Flintshire		23.8%	28.6%	28.6%	19.0%
Newport	4.8%	19.0%	14.3%	33.3%	28.6%
Powys	3.8%	15.4%	11.5%	34.6%	34.6%
Rhondda Cynon Taf	5.1%	17.9%	25.6%	28.2%	23.1%
Cardiff	3.4%	20.3%	8.5%	31.4%	36.4%
Swansea	5.4%	16.1%	5.4%	28.6%	44.6%
Neath Port Talbot	6.3%	18.8%	12.5%	18.8%	43.8%
All other Welsh Men	10.0%	21.1%	13.3%	22.8%	32.8%
Total	6.2%	19.9%	12.8%	27.1%	34.0%

Condom Sources

21. "I bought them".

% within Health Board of residence

	Where got condoms - bought	
	No	Yes
Bridgend	100.0%	
Caerphilly	42.9%	57.1%
Ceredigion	31.8%	68.2%
Carmarthenshire	26.9%	73.1%
Flintshire	28.6%	71.4%
Newport	42.9%	57.1%
Powys	38.5%	61.5%
Rhondda Cynon Taf	68.4%	31.6%
Cardiff	53.4%	46.6%
Swansea	46.4%	53.6%
Neath Port Talbot	53.1%	46.9%
All other Welsh Men	51.1%	48.9%
Total	48.6%	51.4%

22. "I got them free".

% within Health Board of residence

	Where got condoms - free	
	No	Yes
Bridgend	100.0%	
Caerphilly	66.7%	33.3%
Ceredigion	54.5%	45.5%
Carmarthenshire	61.5%	38.5%
Flintshire	81.0%	19.0%
Newport	52.4%	47.6%
Powys	57.7%	42.3%
Rhondda Cynon Taf	44.7%	55.3%
Cardiff	44.9%	55.1%
Swansea	50.0%	50.0%
Neath Port Talbot	46.9%	53.1%
All other Welsh Men	54.9%	45.1%
Total	53.0%	47.0%

23. "My sexual partners usually had them".

% within Health Board of residence

	Where got condoms - from partner	
	No	Yes
Bridgend	100.0%	
Caerphilly	81.0%	19.0%
Ceredigion	90.9%	9.1%
Carmarthenshire	92.3%	7.7%
Flintshire	81.0%	19.0%
Newport	76.2%	23.8%
Powys	69.2%	30.8%
Rhondda Cynon Taf	71.1%	28.9%
Cardiff	78.0%	22.0%
Swansea	92.9%	7.1%
Neath Port Talbot	90.6%	9.4%
All other Welsh Men	84.1%	15.9%
Total	82.6%	17.4%

24. "My friends usually gave them to me".

% within Health Board of residence

	Where got condoms - friends	
	No	Yes
Bridgend	100.0%	
Caerphilly	100.0%	
Ceredigion	100.0%	
Carmarthenshire	96.2%	3.8%
Flintshire	100.0%	
Newport	90.5%	9.5%
Powys	88.5%	11.5%
Rhondda Cynon Taf	94.7%	5.3%
Cardiff	94.9%	5.1%
Swansea	98.2%	1.8%
Neath Port Talbot	93.8%	6.3%
All other Welsh Men	95.6%	4.4%
Total	95.6%	4.4%

HIV Knowledge

25. "An HIV negative man is more likely to pick up HIV by getting fucked by an HIV positive man than by fucking him".

% within Health Board of residence

	Knowledge negative RUAI>IUI risk		
	I knew this	I wasn't sure	I didn't know this
Bridgend	100.0%		
Caerphilly	76.2%	9.5%	14.3%
Ceredigion	54.5%	22.7%	22.7%
Carmarthenshire	63.0%	18.5%	18.5%
Flintshire	52.4%	33.3%	14.3%
Newport	76.2%	9.5%	14.3%
Powys	64.0%	16.0%	20.0%
Rhondda Cynon Taf	74.4%	20.5%	5.1%
Cardiff	80.5%	11.9%	7.6%
Swansea	75.0%	14.3%	10.7%
Neath Port Talbot	71.9%	9.4%	18.8%
All other Welsh Men	74.2%	12.6%	13.2%
Total	73.1%	14.3%	12.6%

26. "When fucking an HIV negative man without a condom, an HIV positive man is more likely to pass on HIV infection if either of them already has another sexually transmitted infection".

% within Health Board of residence

	Knowledge >risk with existing STI		
	I knew this	I wasn't sure	I didn't know this
Bridgend			100.0%
Caerphilly	47.6%	9.5%	42.9%
Ceredigion	31.8%	31.8%	36.4%
Carmarthenshire	48.1%	11.1%	40.7%
Flintshire	38.1%	19.0%	42.9%
Newport	66.7%	23.8%	9.5%
Powys	40.0%	16.0%	44.0%
Rhondda Cynon Taf	48.7%	17.9%	33.3%
Cardiff	53.4%	14.4%	32.2%
Swansea	53.6%	17.9%	28.6%
Neath Port Talbot	53.1%	18.8%	28.1%
All other Welsh Men	58.8%	14.3%	26.9%
Total	52.7%	16.1%	31.2%

27. "Men can have HIV without knowing it".

% within Health Board of residence

	Knowledge men can have unknown HIV infection		
	I knew this	I wasn't sure	I didn't know this
Bridgend	100.0%		
Caerphilly	95.2%	4.8%	
Ceredigion	86.4%	9.1%	4.5%
Carmarthenshire	88.9%	7.4%	3.7%
Flintshire	81.0%	9.5%	9.5%
Newport	90.0%	10.0%	
Powys	96.0%		4.0%
Rhondda Cynon Taf	97.4%		2.6%
Cardiff	95.8%	1.7%	2.5%
Swansea	87.5%	10.7%	1.8%
Neath Port Talbot	93.8%		6.3%
All other Welsh Men	89.0%	4.4%	6.6%
Total	91.3%	4.4%	4.3%

28. "When fucking an HIV negative man without a condom, an HIV positive man is more likely to pass on HIV infection if he ejaculates (cums) in his partner".

% within Health Board of residence

	Knowledge >risk if IUAIO		
	I knew this	I wasn't sure	I didn't know this
Bridgend	100.0%		
Caerphilly	76.2%	23.8%	
Ceredigion	95.5%	4.5%	
Carmarthenshire	88.9%	7.4%	3.7%
Flintshire	81.0%	9.5%	9.5%
Newport	90.5%	4.8%	4.8%
Powys	88.0%	8.0%	4.0%
Rhondda Cynon Taf	97.4%	2.6%	
Cardiff	92.3%	6.8%	.9%
Swansea	89.3%	7.1%	3.6%
Neath Port Talbot	96.9%		3.1%
All other Welsh Men	84.6%	9.3%	6.0%
Total	88.8%	7.6%	3.5%

29. "Condoms are less likely to break if you use a water-based lubricant".

% within Health Board of residence

	Knowledge condom breakage < water lube		
	I knew this	I wasn't sure	I didn't know this
Bridgend			100.0%
Caerphilly	85.7%	14.3%	
Ceredigion	86.4%	4.5%	9.1%
Carmarthenshire	77.8%	7.4%	14.8%
Flintshire	71.4%	4.8%	23.8%
Newport	85.0%	5.0%	10.0%
Powys	92.3%	3.8%	3.8%
Rhondda Cynon Taf	84.6%	2.6%	12.8%
Cardiff	87.2%	9.4%	3.4%
Swansea	89.3%	5.4%	5.4%
Neath Port Talbot	71.9%	15.6%	12.5%
All other Welsh Men	80.7%	6.6%	12.7%
Total	83.1%	7.3%	9.6%

30. "An HIV positive man who has undetectable viral load (in his blood) can still pass on HIV".

% within Health Board of residence

	Knowledge transmission possible with undetectable viral load		
	I knew this	I wasn't sure	I didn't know this
Bridgend		100.0%	
Caerphilly	47.6%	28.6%	23.8%
Ceredigion	59.1%	13.6%	27.3%
Carmarthenshire	40.7%	37.0%	22.2%
Flintshire	57.1%	9.5%	33.3%
Newport	42.9%	42.9%	14.3%
Powys	26.9%	30.8%	42.3%
Rhondda Cynon Taf	53.8%	23.1%	23.1%
Cardiff	70.3%	16.9%	12.7%
Swansea	54.5%	25.5%	20.0%
Neath Port Talbot	46.9%	28.1%	25.0%
All other Welsh Men	52.5%	19.3%	28.2%
Total	54.3%	22.3%	23.4%

Post Exposure Prophylaxis

31. Heard of Post Exposure Prophylaxis (PEP).

% within Health Board of residence

	Health and Prevention tech - Heard PEP	
	No	Yes
Bridgend	100.0%	
Caerphilly	81.0%	19.0%
Ceredigion	86.4%	13.6%
Carmarthenshire	88.9%	11.1%
Flintshire	85.7%	14.3%
Newport	90.5%	9.5%
Powys	96.2%	3.8%
Rhondda Cynon Taf	82.1%	17.9%
Cardiff	77.6%	22.4%
Swansea	74.5%	25.5%
Neath Port Talbot	80.6%	19.4%
All other Welsh Men	82.7%	17.3%
Total	82.1%	17.9%

32. Tried to get PEP.

% within Health Board of residence

	Health and Prevention tech - tried to get PEP	
	No	Yes
Bridgend	100.0%	
Caerphilly	100.0%	
Ceredigion	100.0%	
Carmarthenshire	100.0%	
Flintshire	100.0%	
Newport	100.0%	
Powys	100.0%	
Rhondda Cynon Taf	100.0%	
Cardiff	97.4%	2.6%
Swansea	98.2%	1.8%
Neath Port Talbot	100.0%	
All other Welsh Men	98.9%	1.1%
Total	98.9%	1.1%

33. Ever taken PEP.

% within Health Board of residence

	Health and Prevention tech - ever taken PEP	
	No	Yes
Bridgend	100.0%	
Caerphilly	100.0%	
Ceredigion	100.0%	
Carmarthenshire	100.0%	
Flintshire	100.0%	
Newport	100.0%	
Powys	100.0%	
Rhondda Cynon Taf	100.0%	
Cardiff	99.1%	.9%
Swansea	100.0%	
Neath Port Talbot	100.0%	
All other Welsh Men	98.9%	1.1%
Total	99.5%	.5%

34. Know anyone who received PEP.

% within Health Board of residence

	Health and Prevention tech - know anyone got PEP	
	No	Yes
Bridgend	100.0%	
Caerphilly	100.0%	
Ceredigion	95.5%	4.5%
Carmarthenshire	100.0%	
Flintshire	100.0%	
Newport	95.2%	4.8%
Powys	100.0%	
Rhondda Cynon Taf	94.9%	5.1%
Cardiff	95.7%	4.3%
Swansea	92.7%	7.3%
Neath Port Talbot	96.8%	3.2%
All other Welsh Men	96.1%	3.9%
Total	96.2%	3.8%

35. Consideration of getting PEP if exposed to HIV (those not tested HIV positive).

% within Health Board of residence

	Health and Prevention tech - would you try to get PEP		
	No	Yes	Maybe
Bridgend			100.0%
Caerphilly		85.7%	14.3%
Ceredigion		68.2%	31.8%
Carmarthenshire	3.7%	55.6%	40.7%
Flintshire		70.0%	30.0%
Newport		60.0%	40.0%
Powys	4.3%	82.6%	13.0%
Rhondda Cynon Taf	5.6%	75.0%	19.4%
Cardiff	1.9%	63.9%	34.3%
Swansea	1.9%	71.7%	26.4%
Neath Port Talbot		64.5%	35.5%
All other Welsh Men	3.0%	74.4%	22.6%
Total	2.3%	70.2%	27.5%

[Report ends]