

Vital Statistics 2008 The UK Gay Men's Sex Survey

Area sub-samples data report (December 2009)

East Midlands Strategic Health Authority (n=442)

This report uses data from the UK *Gay Men's Sex Survey* 2008, conducted by Sigma Research in collaboration with health promoters throughout the UK. It supplements the main survey report which will be published in early 2010. Survey methods and interpretation of the variables will be outlined in that report.

This data is intended to provide HIV health promotion planners with information about their local population of gay men and bisexual men. There is a data report for each of the ten Strategic Health Authorities (SHA) in England, with men grouped according to their Primary Care Trust (PCT) of residence. All these 2008 reports, and similar reports for previous years, are available at: www.sigmaresearch.org.uk/gmss/go.php/region

There are also whole country reports for England, Wales, Scotland, Northern Ireland and the Republic of Ireland, with men grouped according to their region of residence. These reports, and similar reports for previous years, are available at: www.sigmaresearch.org.uk/gmss/go.php/country

The data

The survey used two data collection methods over the summer of 2008: a self-sealing, Freepost addressed booklet distributed by health promotion agencies; and via a specific website promoted via links on gay and HIV-related websites.

This report contains data from all the men recruited through both methods. To be included in the sample respondents had to: be male; be aged 14 or over; be living in the UK; have had sex with a man in the last year or have a gay, bisexual or other "queer" identity; and have completed at least one demographic question and one other question. Differences between the number of surveys returned and the number of men who appear in the sample are due to these exclusions.

The tables

Groups of men living in the same PCT appear as a row (horizontal line) in the tables. The bottom row of each table gives the result for the entire Strategic Health Authority. The first table shows the number of men recruited who were living in each Primary Care Trust and the size of the sub-samples in the rest of the tables. PCT areas with fewer than 20 men in the sample are reported as "all other East Midlands men". Some adjoining PCT areas are amalgamated where respondents cannot be allocated to an individual PCT. The tables show the proportions (%) of each sub-sample for that variable (less missing data). Rows add up to 100%. The only exception to this layout is table 3, Age averages.

Questionnaires

The contents page identifies the Booklet question number (Q) each table is derived from. The questionnaire used in the survey is available to download at: www.sigmaresearch.org.uk/files/VS2008booklet.pdf

Funding

The survey was funded by Terrence Higgins Trust as part of CHAPS, a national HIV prevention initiative funded by the English Department of Health. Online recruitment occurred in England, Wales, Scotland, Northern Ireland and the Republic of Ireland. Booklet recruitment occurred only in England and Wales.



Sigma
RESEARCH

Table Contents

SAMPLE DESCRIPTION

- 1a. Primary Care Trust (PCT) of residence
- 1b. Web and booklet sample sizes by PCT of residence.
2. Age, in 5 groups (Q6)
3. Age averages (Q6)
4. Ethnicity, in 6 groups (Q7)
5. Highest education qualification (Q8)
6. Sexual identity(Q9)
7. Trans male status (Q1)
8. Gender of sexual partners in the last year (Q23)
9. Marriage / Civil partnership status (Q16)
10. Sero-discordancy with male regular partner (Q11 & Q13)
11. Sexuality disclosure (outness to family, friends & workmates) score average (range 0 = out to none - 12 = out to all, or almost all) (Q10)
12. Living arrangements (Q14)

HIV INFECTION (AND TESTING INTERVENTION PERFORMANCE)

13. HIV testing history (Q17 & Q18)
14. Self-rating of HIV transmission probability among homosexually active men in the last year (Q17 & Q42)

RISK BEHAVIOURS

15. Number of male sexual partners in the last year (Q24)
16. Number of male unprotected anal intercourse partners among homosexually active men in the last year (Q26 & Q23)
17. Use of Nitrite inhalants (poppers) (Q44 & Q45 & Q46 & Q47)
18. Use of anabolic steroids (Q49)

PREVENTION NEEDS

19. Sexual behavioural intention on partner's positive disclosure (Q43 & Q17) (among men not tested positive)
20. Knowledge that poppers increase transmission probability (Q48)
21. Knowledge that HIV, Hep B & C may be transmitted from shared injecting equipment when using anabolic steroids (Q52a)
22. Knowledge that anabolic steroid use is linked to heart disease (Q52b)
23. Knowledge that concurrent stimulant and anabolic steroid use increases heart attack risk (q52c)
24. Knowledge that non-prescribed anabolic steroids dosage may vary from that labelled (Q52d)

Sigma Research
University of Portsmouth
77a Tradescant Road
London, SW8 1XJ
020-7820 8022
David.Reid@sigmaresearch.org.uk
www.sigmaresearch.org.uk
www.gmss.org.uk

SAMPLE DESCRIPTION

1a. Primary Care Trust (PCT) area of residence.

	Frequency	Percent
NHS Nottingham City	88	19.9
NHS Leicester City	73	16.5
NHS Leicestershire County and Rutland	59	13.3
NHS Nottinghamshire County	58	13.1
Derbyshire County PCT	54	12.2
NHS Derby City	50	11.3
NHS Northamptonshire	31	7.0
NHS Lincolnshire Teaching	25	5.7
Bassetlaw PCT	3	.7
NHS Nottinghamshire County / Bassetlaw (Notts)	1	.2
Total	442	100.0

1b. Web and booklet sample sizes by PCT area of residence.

Count

	Distribution method		Total
	Web	Booklet	
Derbyshire County PCT	29	25	54
NHS Derby City	23	27	50
NHS Nottingham City	28	60	88
NHS Nottinghamshire County	19	39	58
NHS Lincolnshire Teaching	22	3	25
NHS Leicester City	15	58	73
NHS Leicestershire County and Rutland	25	34	59
NHS Northamptonshire	27	4	31
All other East Midlands men	3	1	4
Total	191	251	442

2. Age, in 5 groups (Q6)

% within PCT area of residence

	Age, in 5 groups (Q6)					Total
	<20	20s	30s	40s	50+	
Derbyshire County PCT	9.3%	25.9%	20.4%	25.9%	18.5%	100.0%
NHS Derby City	16.0%	38.0%	26.0%	10.0%	10.0%	100.0%
NHS Nottingham City	9.2%	28.7%	24.1%	21.8%	16.1%	100.0%
NHS Nottinghamshire County	12.3%	31.6%	21.1%	19.3%	15.8%	100.0%
NHS Lincolnshire Teaching	8.0%	36.0%	12.0%	16.0%	28.0%	100.0%
NHS Leicester City	5.5%	28.8%	34.2%	15.1%	16.4%	100.0%
NHS Leicestershire County and Rutland	1.7%	23.7%	30.5%	20.3%	23.7%	100.0%
NHS Northamptonshire	19.4%	25.8%	22.6%	29.0%	3.2%	100.0%
All other East Midlands men		25.0%		75.0%		100.0%
Total	9.3%	29.3%	25.0%	20.0%	16.4%	100.0%

3. Age averages (Q6)

Age averages (Q6)

PCT area of residence	Median	Mean	Minimum	Maximum	Std. Deviation
Derbyshire County PCT	35.0000	37.5926	14.00	67.00	13.84349
NHS Derby City	27.5000	31.6400	16.00	68.00	12.67290
NHS Nottingham City	34.0000	35.9885	17.00	66.00	13.15338
NHS Nottinghamshire County	33.0000	34.6316	14.00	79.00	14.10880
NHS Lincolnshire Teaching	31.0000	36.0400	18.00	60.00	14.77464
NHS Leicester City	34.0000	36.1918	17.00	70.00	13.21789
NHS Leicestershire County and Rutland	36.0000	38.4407	17.00	64.00	12.09342
NHS Northamptonshire	31.0000	32.2903	17.00	53.00	11.51287
All other East Midlands men	43.0000	39.7500	25.00	48.00	10.11187
Total	34.0000	35.6545	14.00	79.00	13.21071

4. Ethnicity, in 6 groups (Q7)

% within PCT area of residence

	Ethnicity, in 6 groups (Q7)						Total
	White British	White other	Black	Asian	Mixed	Other	
Derbyshire County PCT	96.3%	1.9%	1.9%				100.0%
NHS Derby City	82.0%	8.0%		4.0%	6.0%		100.0%
NHS Nottingham City	90.9%	6.8%			1.1%	1.1%	100.0%
NHS Nottinghamshire County	96.6%	1.7%				1.7%	100.0%
NHS Lincolnshire Teaching	92.0%	4.0%			4.0%		100.0%
NHS Leicester City	73.6%	4.2%	2.8%	12.5%	5.6%	1.4%	100.0%
NHS Leicestershire County and Rutland	78.0%	5.1%		8.5%	5.1%	3.4%	100.0%
NHS Northamptonshire	87.1%	6.5%		3.2%		3.2%	100.0%
All other East Midlands men	75.0%			25.0%			100.0%
Total	86.4%	4.8%	.7%	4.1%	2.7%	1.4%	100.0%

5. Highest education qualification (Q8)

% within PCT area of residence

	Highest education qualification (Q8)			Total
	Low	Medium	High	
Derbyshire County PCT	40.4%	11.5%	48.1%	100.0%
NHS Derby City	28.0%	40.0%	32.0%	100.0%
NHS Nottingham City	31.8%	21.6%	46.6%	100.0%
NHS Nottinghamshire County	41.8%	34.5%	23.6%	100.0%
NHS Lincolnshire Teaching	16.0%	20.0%	64.0%	100.0%
NHS Leicester City	19.4%	41.7%	38.9%	100.0%
NHS Leicestershire County and Rutland	36.2%	24.1%	39.7%	100.0%
NHS Northamptonshire	38.7%	35.5%	25.8%	100.0%
All other East Midlands men	25.0%	75.0%		100.0%
Total	31.7%	29.2%	39.1%	100.0%

6. Sexual identity(Q9)

% within PCT area of residence

	Sexual identity (Q9)				Total
	Gay	Bisexual	I don't usually use a term	Any other term	
Derbyshire County PCT	79.6%	7.4%	11.1%	1.9%	100.0%
NHS Derby City	86.0%	8.0%	6.0%		100.0%
NHS Nottingham City	88.6%	4.5%	5.7%	1.1%	100.0%
NHS Nottinghamshire County	80.4%	14.3%	3.6%	1.8%	100.0%
NHS Lincolnshire Teaching	68.0%	32.0%			100.0%
NHS Leicester City	87.7%	8.2%	2.7%	1.4%	100.0%
NHS Leicestershire County and Rutland	72.9%	23.7%	1.7%	1.7%	100.0%
NHS Northamptonshire	74.2%	9.7%	12.9%	3.2%	100.0%
All other East Midlands men	75.0%	25.0%			100.0%
Total	81.6%	11.8%	5.2%	1.4%	100.0%

7. Trans male status (Q1)

% within PCT area of residence

	Trans male status (Q1)		Total
	No	Yes	
Derbyshire County PCT	94.3%	5.7%	100.0%
NHS Derby City	90.0%	10.0%	100.0%
NHS Nottingham City	98.8%	1.2%	100.0%
NHS Nottinghamshire County	98.2%	1.8%	100.0%
NHS Lincolnshire Teaching	95.7%	4.3%	100.0%
NHS Leicester City	100.0%		100.0%
NHS Leicestershire County and Rutland	100.0%		100.0%
NHS Northamptonshire	93.1%	6.9%	100.0%
All other East Midlands men	100.0%		100.0%
Total	97.0%	3.0%	100.0%

8. Gender of sexual partners in the last year (Q23)

% within PCT area of residence

	Gender of sexual partners in the last year (Q23)				Total
	No one	Women only	Men only	Both men and women	
Derbyshire County PCT	13.2%	3.8%	75.5%	7.5%	100.0%
NHS Derby City	12.0%		82.0%	6.0%	100.0%
NHS Nottingham City	2.3%	1.1%	93.1%	3.4%	100.0%
NHS Nottinghamshire County	12.3%	5.3%	78.9%	3.5%	100.0%
NHS Lincolnshire Teaching	8.0%		64.0%	28.0%	100.0%
NHS Leicester City	6.8%		84.9%	8.2%	100.0%
NHS Leicestershire County and Rutland	10.2%	1.7%	74.6%	13.6%	100.0%
NHS Northamptonshire	6.5%		80.6%	12.9%	100.0%
All other East Midlands men		33.3%	66.7%		100.0%
Total	8.4%	1.8%	81.3%	8.4%	100.0%

9. Marriage / Civil partnership status (Q16)

% within PCT area of residence

		Marriage / Civil partnership status (Q16)			Total
		In a civil partnership with a man	In a marriage with a woman	Neither of these	
PCT area of residence	Derbyshire County PCT	3.9%	2.0%	94.1%	100.0%
	NHS Derby City	6.0%		94.0%	100.0%
	NHS Nottingham City	8.0%	6.8%	85.2%	100.0%
	NHS Nottinghamshire County	10.5%	3.5%	86.0%	100.0%
	NHS Lincolnshire Teaching	12.0%	8.0%	80.0%	100.0%
	NHS Leicester City	8.3%	2.8%	88.9%	100.0%
	NHS Leicestershire County and Rutland	3.4%	10.3%	86.2%	100.0%
	NHS Northamptonshire	9.7%	6.5%	83.9%	100.0%
	All other East Midlands men	25.0%		75.0%	100.0%
Total		7.6%	4.8%	87.6%	100.0%

10. Sero-discordancy with male regular partner (Q11 & Q13)

% within PCT area of residence

		Sero-discordancy with male regular partner (Q11 & Q13)				Total
		single	concordant regular	unknown regular	discordant regular	
	Derbyshire County PCT	58.5%	34.0%	7.5%		100.0%
	NHS Derby City	52.0%	38.0%	6.0%	4.0%	100.0%
	NHS Nottingham City	44.8%	43.7%	9.2%	2.3%	100.0%
	NHS Nottinghamshire County	55.6%	37.0%	7.4%		100.0%
	NHS Lincolnshire Teaching	52.0%	40.0%	8.0%		100.0%
	NHS Leicester City	48.6%	36.1%	9.7%	5.6%	100.0%
	NHS Leicestershire County and Rutland	53.6%	28.6%	12.5%	5.4%	100.0%
	NHS Northamptonshire	58.1%	32.3%	9.7%		100.0%
	All other East Midlands men	50.0%	50.0%			100.0%
Total		51.9%	36.8%	8.8%	2.5%	100.0%

11. Sexuality disclosure (outness to family, friends & workmates) score average (Q10)

Sexuality disclosure (outness) score average (Q10)

PCT area of residence	Median	Mean	Minimum	Maximum	Std. Deviation
Derbyshire County PCT	10.0000	7.8431	.00	12.00	4.71751
NHS Derby City	12.0000	9.3404	.00	12.00	4.06082
NHS Nottingham City	11.0000	8.6786	.00	12.00	4.29671
NHS Nottinghamshire County	10.0000	8.1818	.00	12.00	4.46422
NHS Lincolnshire Teaching	5.5000	6.0417	.00	12.00	5.48103
NHS Leicester City	12.0000	9.7681	.00	12.00	3.58569
NHS Leicestershire County and Rutland	11.0000	8.4528	.00	12.00	4.37021
NHS Northamptonshire	8.0000	7.4194	.00	12.00	4.34184
All other East Midlands men	1.0000	4.3333	.00	12.00	6.65833
Total	11.0000	8.4604	.00	12.00	4.41250

12. Living arrangements (Q14)

% within PCT area of residence

	Living arrangements (Q14)			Total
	Live alone	Live with male partner	Live with others (not male partner)	
Derbyshire County PCT	41.5%	22.6%	35.8%	100.0%
NHS Derby City	33.3%	35.4%	31.3%	100.0%
NHS Nottingham City	40.9%	28.4%	30.7%	100.0%
NHS Nottinghamshire County	29.1%	23.6%	47.3%	100.0%
NHS Lincolnshire Teaching	32.0%	24.0%	44.0%	100.0%
NHS Leicester City	43.1%	29.2%	27.8%	100.0%
NHS Leicestershire County and Rutland	33.9%	20.3%	45.8%	100.0%
NHS Northamptonshire	26.7%	20.0%	53.3%	100.0%
All other East Midlands men	25.0%	25.0%	50.0%	100.0%
Total	36.4%	26.0%	37.6%	100.0%

HIV INFECTION (AND TESTING INTERVENTION PERFORMANCE)

13. HIV testing history (Q17 & Q18)

% within PCT area of residence

	HIV test history (Q17 & Q18)				Total
	Never tested	Tested negative in last year	Tested negative over a year ago	Tested positive	
Derbyshire County PCT	39.6%	30.2%	20.8%	9.4%	100.0%
NHS Derby City	34.0%	34.0%	30.0%	2.0%	100.0%
NHS Nottingham City	37.2%	38.4%	20.9%	3.5%	100.0%
NHS Nottinghamshire County	50.0%	25.0%	19.6%	5.4%	100.0%
NHS Lincolnshire Teaching	52.0%	36.0%	12.0%		100.0%
NHS Leicester City	22.2%	41.7%	27.8%	8.3%	100.0%
NHS Leicestershire County and Rutland	44.6%	32.1%	21.4%	1.8%	100.0%
NHS Northamptonshire	48.4%	29.0%	22.6%		100.0%
All other East Midlands men	100.0%				100.0%
Total	39.5%	33.7%	22.4%	4.4%	100.0%

14. Self rating of HIV transmission probability amongst homosexually active men in the last year(Q17 & Q42)

% within PCT area of residence

	Self rating of HIV transmission probability (Q17 & Q42) (Homosexually active men in the last year)					Total
	Very likely	Quite likely	Not sure	Quite unlikely	Very unlikely	
Derbyshire County PCT			13.6%	15.9%	70.5%	100.0%
NHS Derby City	2.4%	2.4%	19.0%	16.7%	59.5%	100.0%
NHS Nottingham City	2.5%	1.2%	14.8%	14.8%	66.7%	100.0%
NHS Nottinghamshire County			28.9%	13.3%	57.8%	100.0%
NHS Lincolnshire Teaching	4.3%		13.0%	26.1%	56.5%	100.0%
NHS Leicester City	3.1%		9.2%	23.1%	64.6%	100.0%
NHS Leicestershire County and Rutland	2.0%		25.5%	9.8%	62.7%	100.0%
NHS Northamptonshire	3.4%		24.1%	27.6%	44.8%	100.0%
All other East Midlands men					100.0%	100.0%
Total	2.1%	.5%	17.8%	17.3%	62.3%	100.0%

RISK BEHAVIOURS

15. Number of male sexual partners in the last year (Q24)

% within PCT area of residence

	Number of male sexual partners in the last year (Q24)						Total
	None	One	2,3 or 4	5 to 12	13 to 29	30 or more	
Derbyshire County PCT	17.0%	11.3%	41.5%	15.1%	7.5%	7.5%	100.0%
NHS Derby City	12.0%	30.0%	28.0%	10.0%	10.0%	10.0%	100.0%
NHS Nottingham City	3.4%	25.3%	26.4%	19.5%	11.5%	13.8%	100.0%
NHS Nottinghamshire County	17.9%	23.2%	30.4%	19.6%	7.1%	1.8%	100.0%
NHS Lincolnshire Teaching	8.0%	24.0%	44.0%	8.0%	8.0%	8.0%	100.0%
NHS Leicester City	6.8%	31.5%	20.5%	16.4%	11.0%	13.7%	100.0%
NHS Leicestershire County and Rutland	12.1%	29.3%	24.1%	17.2%	12.1%	5.2%	100.0%
NHS Northamptonshire	6.5%	22.6%	16.1%	35.5%	6.5%	12.9%	100.0%
All other East Midlands men	33.3%		33.3%	33.3%			100.0%
Total	10.3%	25.0%	28.0%	17.7%	9.6%	9.4%	100.0%

16. Number of male unprotected anal intercourse partners amongst homosexually active men in the last year (Q26 & Q23)

% within PCT area of residence

	Number of male unprotected anal intercourse partners amongst homosexually active men (Q26 & Q23)					Total
	none	one	two	three or four	five or more	
Derbyshire County PCT	34.1%	34.1%	15.9%	13.6%	2.3%	100.0%
NHS Derby City	53.5%	30.2%	2.3%	9.3%	4.7%	100.0%
NHS Nottingham City	45.2%	35.7%	8.3%	7.1%	3.6%	100.0%
NHS Nottinghamshire County	34.8%	54.3%	6.5%	2.2%	2.2%	100.0%
NHS Lincolnshire Teaching	34.8%	43.5%	4.3%	13.0%	4.3%	100.0%
NHS Leicester City	50.7%	32.8%	10.4%	4.5%	1.5%	100.0%
NHS Leicestershire County and Rutland	50.0%	30.0%	10.0%	8.0%	2.0%	100.0%
NHS Northamptonshire	20.7%	51.7%	10.3%	10.3%	6.9%	100.0%
All other East Midlands men	50.0%			50.0%		100.0%
Total	42.8%	37.4%	8.8%	8.0%	3.1%	100.0%

17. Use of Nitrite inhalants (poppers) (Q44 & Q45 & Q46 & Q47)

% within PCT area of residence

	Use of Nitrite inhalants (poppers) (Q44 & Q45 & Q46 & Q47)					Total
	No poppers	Use but not during RAI	Use during RAI but not URAI	Use during URAI but not with unknown / discordant partner	Use during URAI with an unknown / discordant partner	
Derbyshire County PCT	61.2%	18.4%	10.2%	8.2%	2.0%	100.0%
NHS Derby City	63.3%	14.3%	12.2%	6.1%	4.1%	100.0%
NHS Nottingham City	49.4%	24.7%	7.1%	11.8%	7.1%	100.0%
NHS Nottinghamshire County	46.3%	25.9%	14.8%	5.6%	7.4%	100.0%
NHS Lincolnshire Teaching	68.0%	12.0%	8.0%	12.0%		100.0%
NHS Leicester City	62.0%	5.6%	15.5%	8.5%	8.5%	100.0%
NHS Leicestershire County and Rutland	60.3%	15.5%	10.3%	6.9%	6.9%	100.0%
NHS Northamptonshire	48.4%	12.9%	6.5%	25.8%	6.5%	100.0%
All other East Midlands men	66.7%	33.3%				100.0%
Total	56.7%	16.9%	10.8%	9.6%	5.9%	100.0%

18. Use of anabolic steroids (Q49)

% within PCT area of residence

	Use of anabolic steroids (Q49)				Total
	Yes, I've taken them in the last month	Yes, I've taken them in the last 12 months	Yes, I've taken them but NOT in the last 12 months	No, I have never taken anabolic steroids	
Derbyshire County PCT	1.9%			98.1%	100.0%
NHS Derby City	2.0%	2.0%		96.0%	100.0%
NHS Nottingham City	1.2%		2.4%	96.5%	100.0%
NHS Nottinghamshire County	1.8%		3.6%	94.6%	100.0%
NHS Lincolnshire Teaching				100.0%	100.0%
NHS Leicester City		1.4%	1.4%	97.2%	100.0%
NHS Leicestershire County and Rutland	1.7%			98.3%	100.0%
NHS Northamptonshire	3.2%			96.8%	100.0%
All other East Midlands men				100.0%	100.0%
Total	1.4%	.5%	1.2%	97.0%	100.0%

PREVENTION NEEDS

19. Sexual behavioural intention on partner's positive disclosure (Q43 & Q17) (not tested positive)

% within PCT area of residence

	Sexual behavioural intention on partners positive disclosure (Q43 & Q17) (not tested positive)				Total
	Not want to have sex with him	Still want to have sex with him but be extra careful	Have the kind of sex you would have had anyway	Other	
Derbyshire County PCT	71.7%	26.1%		2.2%	100.0%
NHS Derby City	40.0%	55.6%	4.4%		100.0%
NHS Nottingham City	51.3%	43.8%	5.0%		100.0%
NHS Nottinghamshire County	63.8%	31.9%	4.3%		100.0%
NHS Lincolnshire Teaching	83.3%	12.5%	4.2%		100.0%
NHS Leicester City	46.8%	46.8%	3.2%	3.2%	100.0%
NHS Leicestershire County and Rutland	51.9%	40.4%	3.8%	3.8%	100.0%
NHS Northamptonshire	51.6%	45.2%	3.2%		100.0%
All other East Midlands men	100.0%				100.0%
Total	55.6%	39.5%	3.6%	1.3%	100.0%

20. Knowledge that poppers increase transmission probability (Q48)

% within PCT area of residence

	Knowledge that poppers increase transmission probability (Q48)				Total
	I knew this already	I didn't know this already	I wasn't sure about this	I don't understand this	
Derbyshire County PCT	34.7%	44.9%	10.2%	10.2%	100.0%
NHS Derby City	50.0%	34.8%	8.7%	6.5%	100.0%
NHS Nottingham City	47.0%	41.0%	8.4%	3.6%	100.0%
NHS Nottinghamshire County	35.3%	51.0%	11.8%	2.0%	100.0%
NHS Lincolnshire Teaching	28.0%	52.0%	4.0%	16.0%	100.0%
NHS Leicester City	40.0%	32.9%	21.4%	5.7%	100.0%
NHS Leicestershire County and Rutland	45.6%	43.9%	8.8%	1.8%	100.0%
NHS Northamptonshire	50.0%	36.7%	10.0%	3.3%	100.0%
All other East Midlands men	33.3%	66.7%			100.0%
Total	42.0%	41.5%	11.1%	5.3%	100.0%

21. Knowledge that HIV, Hep B & C may be transmitted from shared injecting equipment when using anabolic steroids (Q52a)

% within PCT area of residence

	Knowledge that HIV, Hep B & C may be transmitted from shared injecting equipment when using anabolic steroids (Q52a)				Total
	I knew this already	I didn't know this already	I wasn't sure about this	I don't understand this	
Derbyshire County PCT	73.1%	21.2%		5.8%	100.0%
NHS Derby City	73.9%	17.4%	6.5%	2.2%	100.0%
NHS Nottingham City	83.1%	12.0%	1.2%	3.6%	100.0%
NHS Nottinghamshire County	79.6%	16.7%		3.7%	100.0%
NHS Lincolnshire Teaching	84.0%	8.0%		8.0%	100.0%
NHS Leicester City	75.7%	18.6%	4.3%	1.4%	100.0%
NHS Leicestershire County and Rutland	78.9%	12.3%	5.3%	3.5%	100.0%
NHS Northamptonshire	71.0%	12.9%	3.2%	12.9%	100.0%
All other East Midlands men	100.0%				100.0%
Total	77.9%	15.2%	2.6%	4.3%	100.0%

22. Knowledge that anabolic steroid use is linked to heart disease (Q52b)

% within PCT area of residence

	Knowledge that anabolic steroid use is linked to heart disease (Q52b)				Total
	I knew this already	I didn't know this already	I wasn't sure about this	I don't understand this	
Derbyshire County PCT	52.9%	35.3%	7.8%	3.9%	100%
NHS Derby City	54.3%	28.3%	15.2%	2.2%	100%
NHS Nottingham City	52.4%	39.0%	6.1%	2.4%	100%
NHS Nottinghamshire County	50.0%	38.5%	9.6%	1.9%	100%
NHS Lincolnshire Teaching	68.0%	20.0%	8.0%	4.0%	100%
NHS Leicester City	47.1%	38.6%	11.4%	2.9%	100%
NHS Leicestershire County and Rutland	59.6%	24.6%	8.8%	7.0%	100%
NHS Northamptonshire	61.3%	22.6%	6.5%	9.7%	100%
All other East Midlands men	66.7%	33.3%			100%
Total	54.2%	32.9%	9.1%	3.8%	100%

23. Knowledge that concurrent stimulant and anabolic steroid use increases heart attack risk (q52c)

% within PCT area of residence

	Knowledge that concurrent stimulant and anabolic steroid use increases heart attack risk (q52c)				Total
	I knew this already	I didn't know this already	I wasn't sure about this	I don't understand this	
Derbyshire County PCT	50.0%	32.7%	13.5%	3.8%	100.0%
NHS Derby City	54.3%	28.3%	13.0%	4.3%	100.0%
NHS Nottingham City	57.8%	33.7%	6.0%	2.4%	100.0%
NHS Nottinghamshire County	55.8%	26.9%	13.5%	3.8%	100.0%
NHS Lincolnshire Teaching	64.0%	16.0%	16.0%	4.0%	100.0%
NHS Leicester City	49.3%	44.9%	4.3%	1.4%	100.0%
NHS Leicestershire County and Rutland	51.8%	33.9%	10.7%	3.6%	100.0%
NHS Northamptonshire	58.1%	19.4%	12.9%	9.7%	100.0%
All other East Midlands men	66.7%	33.3%			100.0%
Total	54.4%	31.9%	10.1%	3.6%	100.0%

24. Knowledge that non-prescribed anabolic steroids dosage may vary from that labelled (Q52d)

% within PCT area of residence

	Knowledge that non-prescribed anabolic steroids dosage may vary from that labeled (Q52d)				Total
	I knew this already	I didn't know this already	I wasn't sure about this	I don't understand this	
Derbyshire County PCT	40.4%	46.2%	5.8%	7.7%	100.0%
NHS Derby City	47.8%	34.8%	13.0%	4.3%	100.0%
NHS Nottingham City	51.8%	38.6%	7.2%	2.4%	100.0%
NHS Nottinghamshire County	39.6%	41.5%	13.2%	5.7%	100.0%
NHS Lincolnshire Teaching	68.0%	24.0%	4.0%	4.0%	100.0%
NHS Leicester City	46.4%	47.8%	4.3%	1.4%	100.0%
NHS Leicestershire County and Rutland	54.4%	33.3%	8.8%	3.5%	100.0%
NHS Northamptonshire	51.6%	29.0%	12.9%	6.5%	100.0%
All other East Midlands men	66.7%	33.3%			100.0%
Total	48.9%	38.7%	8.4%	4.1%	100.0%

ENDS