

# Vital Statistics 2003 The UK Gay Men's Sex Survey

## Area sub-samples data report (updated May 2008) South Central Strategic Health Authority

The *Gay Men's Sex Survey* 2003 was conducted by Sigma Research in collaboration with health promoters throughout Britain and Ireland. This report supplements the main annual report for the survey called *On the move: findings from the United Kingdom Gay Men's Sex Survey, 2003*. It is available at: [www.sigmaresearch.org.uk/go.php/reports/report2004g/](http://www.sigmaresearch.org.uk/go.php/reports/report2004g/). Survey methods and interpretation of the data were outlined in that report. This data report is intended to provide HIV health promotion planners with information about their local population. There is one data report for each of the Strategic Health Authorities in England. In each report men are usually grouped according to their Primary Care Trust (PCT) of residence.

### *The data*

The survey used two data collection methods over the summer of 2003:

- (1) A self-sealing, Freepost addressed booklet distributed by 124 British HIV health promotion and gay agencies;
- (2) On a specific website promoted via links on 35 gay and HIV-related websites. Two websites, [gay.com/uk](http://gay.com/uk) and [gaydar.co.uk](http://gaydar.co.uk), conducted substantial paid for promotion of the survey.

This report contains data from all the men recruited through **both methods**.

To be included in this sample respondents had to:

- be male;
- be aged 14 or over;
- be living in the South Central SHA;
- have had sex with a man in the last year and / or expect to have sex with a man in the future;
- have completed at least one demographic question and one other question.

Differences between the number of surveys returned and the number of men who appear in the sample are due to these exclusions.

### *The tables*

Groups of men living in the same PCT area appear as a row (lines across) in the tables. The bottom row of each table gives the result for the entire area being considered. The first table shows the number of men living in each PCT area and the size of the sub-samples in the rest of the tables. PCT areas with fewer than 20 men and amalgamated PCT areas (where men cannot be allocated to an individual PCT area) are reported as "all other men". The tables show the proportions (%) of each sub-sample for that variable (less missing data). Rows add up to 100%. The only exception is table 3 (Age Averages).

### *Questionnaires*

The contents page identifies the Booklet question number (Q) each table is derived from.

The questionnaire used in the survey is available to download at:

[www.sigmaresearch.org.uk/files/VS2003booklet.pdf](http://www.sigmaresearch.org.uk/files/VS2003booklet.pdf)

### *Funding*

In Northern Ireland this research was funded by the Rainbow Project. In Scotland, by Healthy Gay Scotland, a Scottish Executive funded HIV prevention initiative. In England and Wales, by Terrence Higgins Trust as part of CHAPS, a national HIV prevention initiative funded by the English Department of Health and Welsh Assembly.



## Table Contents

### **SAMPLE DESCRIPTION**

1. Web and Booklet sample sizes.
2. Age groups; Q1 grouped into ten year age bands.
3. Age averages; from Q1 the age of the youngest and oldest man, their median age (line them up by size and pick the one in the middle), mean age (add them up and divide by how many there are), and a measure of how spread out along the range they are (the standard deviation).
4. Ethnicity; Q2.
5. Formal education; from Q3, low is educated to O-levels / CSEs / GCSE or equivalent; high is educated to degree level; medium includes A-levels, diplomas and professional qualifications.
6. Annual income; Q9.
7. Perceived financial management ; Q12.
8. HIV testing history; Q16.
9. GP registration; Q32.
10. Awareness by GP staff of sex with men (those who are registered with a GP); Q33.

### **SOCIO-SEXUAL CONTEXT**

11. Gender of sexual partner in the last year; Q20.
12. Number of male sexual partners in the last year; Q22 (those who had sex with men).
13. HIV concordancy of regular relationship; Q13 & Q15.

### **SEXUAL RISK BEHAVIOURS**

14. Number of partners with whom had receptive unprotected anal intercourse (RUAI), in the last year (those who had male partners); Q23.
15. Likelihood of having RUAI with a man with a different HIV status (among those who had RUAI in the last year); Q24.
16. Number of partners with whom had insertive unprotected anal intercourse (IUAI), in the last year (those who had male partners); Q25.
17. Likelihood of having IUAI with a man with a different HIV status (among those who had IUAI in the last year); Q26.

### **UNMET HIV PREVENTION NEEDS**

18. Sexual assault in the last 12 months; Q27.
19. Difficulty getting hold of condoms; Q28.
20. Difficulty getting hold of water based lube; Q28.

### **CONDOM SOURCES**

21. Experience of getting condoms in the previous 12 months; Q29
21. Bought condoms
22. Got condoms free
23. Sexual partners usually had condoms
24. Friends usually gave condoms

## **HIV KNOWLEDGE**

25. *An HIV negative man is more likely to pick up HIV by getting fucked by an HIV positive man than by fucking him; Q31.*
26. *When fucking an HIV negative man without a condom, an HIV positive man is more likely to pass on HIV infection if either of them already has another sexually transmitted infection; Q31.*
27. *Men can have HIV without knowing it; Q31.*
28. *When fucking an HIV negative man without a condom, an HIV positive man is more likely to pass on HIV infection if he ejaculates (cums) in his partner; Q31.*
29. *Condoms are less likely to break if you use a water-based lubricant; Q31.*
30. *An HIV positive man who has undetectable viral load (in his blood) can still pass on HIV; Q31.*

## **POST EXPOSURE PROPHYLAXIS**

31. Heard of Post Exposure Prophylaxis (PEP); Q45.
32. Tried to get PEP; Q46.
33. Ever taken PEP; Q47.
34. Know anyone who received PEP; Q48.
35. If you thought you had been exposed to HIV would you consider trying to get PEP? (those not tested HIV positive); Q49.

Sigma Research  
77a Tradescant Road,  
London, SW8 1XJ  
[www.sigmaresearch.org.uk](http://www.sigmaresearch.org.uk)

Phone: 020-7820 8022  
Fax: 020-7793 8009  
Email: [David.Reid@sigmaresearch.org.uk](mailto:David.Reid@sigmaresearch.org.uk)

**Vital Statistics 2003**  
**The UK Gay Men's Sex Survey**  
**Area sub-samples data report**  
**South Central Strategic Health Authority (May 2008)**

**Sample sizes and descriptions**

**1. Web and booklet sample sizes by PCT area of residence.**

Count

	distribution method		Total
	web	booklet	
Oxfordshire	105	110	215
Buckinghamshire	61	15	76
Milton Keynes	43	7	50
Berkshire West	60	11	71
Berkshire East / Berkshire West PCT Unknown (Berkshire)	19	2	21
Berkshire East	61	6	67
Hampshire	153	90	243
Southampton City	44	4	48
Portsmouth City Teaching	69	17	86
Isle of Wight	24	14	38
Total	639	276	915

## 2. Age groups.

% within Demog - PCT area of residence 2007

	Age				
	<20	20s	30s	40s	50+
Oxfordshire	8.5%	42.0%	29.3%	10.1%	10.1%
Buckinghamshire	3.2%	40.3%	32.3%	16.1%	8.1%
Milton Keynes	11.6%	37.2%	25.6%	9.3%	16.3%
Berkshire West	12.9%	41.9%	25.8%	14.5%	4.8%
Berkshire East	9.1%	25.5%	29.1%	27.3%	9.1%
Hampshire	10.3%	31.0%	31.0%	18.3%	9.4%
Southampton City	7.3%	31.7%	39.0%	9.8%	12.2%
Portsmouth City Teaching	12.7%	32.4%	29.6%	11.3%	14.1%
Isle of Wight		39.4%	21.2%	21.2%	18.2%
All other South Central SHA men	5.6%	22.2%	50.0%	16.7%	5.6%
Total	9.0%	35.5%	30.2%	15.0%	10.3%

## 3. Age averages.

age

Demog - PCT area of residence 2007	Median	Minimum	Maximum	Mean	Std. Deviation
Oxfordshire	29.00	16	70	31.86	11.141
Buckinghamshire	31.00	18	62	32.02	10.498
Milton Keynes	30.00	17	57	32.16	12.331
Berkshire West	28.00	16	59	30.90	10.634
Berkshire East	34.00	16	63	34.62	11.111
Hampshire	32.00	16	77	33.55	11.787
Southampton City	31.00	17	54	33.61	10.215
Portsmouth City Teaching	32.00	18	71	33.41	13.447
Isle of Wight	33.00	20	76	36.67	13.310
All other South Central SHA men	33.50	15	66	34.33	11.817
Total	31.00	15	77	32.95	11.595

#### 4. Ethnicity.

% within Demog - PCT area of residence 2007

	Ethnicity			
	White	Black	Asian	Mixed and other
Oxfordshire	95.8%		.5%	3.7%
Buckinghamshire	97.4%			2.6%
Milton Keynes	95.9%	2.0%		2.0%
Berkshire West	91.5%			8.5%
Berkshire East	100.0%			
Hampshire	97.9%			2.1%
Southampton City	97.9%			2.1%
Portsmouth City Teaching	100.0%			
Isle of Wight	100.0%			
All other South Central SHA men	81.0%		14.3%	4.8%
Total	96.8%	.1%	.4%	2.6%

#### 5. Formal education.

% within Demog - PCT area of residence 2007

	Education		
	low	medium	high
Oxfordshire	21.9%	25.6%	52.6%
Buckinghamshire	22.4%	32.9%	44.7%
Milton Keynes	28.0%	34.0%	38.0%
Berkshire West	19.7%	23.9%	56.3%
Berkshire East	40.3%	25.4%	34.3%
Hampshire	29.2%	31.3%	39.5%
Southampton City	25.5%	25.5%	48.9%
Portsmouth City Teaching	33.7%	32.6%	33.7%
Isle of Wight	31.6%	42.1%	26.3%
All other South Central SHA men	33.3%	33.3%	33.3%
Total	27.4%	29.5%	43.1%

## 6. Annual income.

% within Demog - PCT area of residence 2007

	Annual income			
	<10 000	£10 000 - 19999	£20 000 - 29 999	£30 000 and greater
Oxfordshire	21.6%	31.0%	25.4%	22.1%
Buckinghamshire	17.1%	18.4%	32.9%	31.6%
Milton Keynes	10.2%	40.8%	28.6%	20.4%
Berkshire West	14.3%	27.1%	24.3%	34.3%
Berkshire East	9.1%	25.8%	21.2%	43.9%
Hampshire	17.6%	30.7%	23.9%	27.7%
Southampton City	19.1%	38.3%	31.9%	10.6%
Portsmouth City Teaching	18.8%	41.2%	14.1%	25.9%
Isle of Wight	23.7%	39.5%	26.3%	10.5%
All other South Central SHA men	4.8%	38.1%	33.3%	23.8%
Total	17.4%	31.6%	24.9%	26.1%

## 7. Perceived financial management.

% within Demog - PCT area of residence 2007

	How are you managing financially?				
	Living comfortably	Doing alright	Just about getting by	Finding it quite difficult	Finding it very difficult
Oxfordshire	29.0%	40.2%	19.2%	8.4%	3.3%
Buckinghamshire	26.3%	36.8%	26.3%	3.9%	6.6%
Milton Keynes	34.7%	32.7%	32.7%		
Berkshire West	25.7%	37.1%	24.3%	10.0%	2.9%
Berkshire East	19.4%	50.7%	20.9%	4.5%	4.5%
Hampshire	31.5%	34.5%	22.7%	9.7%	1.7%
Southampton City	14.9%	31.9%	38.3%	10.6%	4.3%
Portsmouth City Teaching	20.9%	55.8%	17.4%	3.5%	2.3%
Isle of Wight	27.0%	37.8%	27.0%		8.1%
All other South Central SHA men	14.3%	42.9%	38.1%		4.8%
Total	26.9%	39.6%	23.5%	6.9%	3.2%

## 8. HIV testing history.

% within Demog - PCT area of residence 2007

	HIV testing history		
	Tested positive	Last test negative	Never tested
Oxfordshire	5.6%	57.9%	36.4%
Buckinghamshire	3.9%	50.0%	46.1%
Milton Keynes	4.1%	49.0%	46.9%
Berkshire West	1.4%	48.6%	50.0%
Berkshire East	4.5%	46.3%	49.3%
Hampshire	2.9%	52.3%	44.9%
Southampton City		56.3%	43.8%
Portsmouth City Teaching	3.5%	52.3%	44.2%
Isle of Wight		64.9%	35.1%
All other South Central SHA men	4.8%	47.6%	47.6%
Total	3.5%	53.1%	43.4%

## 9. GP registration.

% within Demog - PCT area of residence 2007

	Registration with a GP	
	No	Yes
Oxfordshire	7.4%	92.6%
Buckinghamshire	9.2%	90.8%
Milton Keynes	6.0%	94.0%
Berkshire West	5.7%	94.3%
Berkshire East	6.2%	93.8%
Hampshire	5.3%	94.7%
Southampton City	4.2%	95.8%
Portsmouth City Teaching	3.5%	96.5%
Isle of Wight	2.7%	97.3%
All other South Central SHA men	14.3%	85.7%
Total	6.2%	93.8%



**10. Awareness by GP staff of sex with men (those who are registered with a GP).**

% within Demog - PCT area of residence 2007

	GP staff aware of sexuality		
	No	Yes	Don't know
Oxfordshire	49.7%	33.5%	16.8%
Buckinghamshire	60.3%	27.9%	11.8%
Milton Keynes	52.2%	32.6%	15.2%
Berkshire West	60.6%	19.7%	19.7%
Berkshire East	65.6%	21.3%	13.1%
Hampshire	54.7%	30.5%	14.8%
Southampton City	47.8%	32.6%	19.6%
Portsmouth City Teaching	54.9%	28.0%	17.1%
Isle of Wight	61.8%	20.6%	17.6%
All other South Central SHA men	44.4%	38.9%	16.7%
Total	54.9%	29.2%	15.9%

## Socio-sexual context

### 11. Gender of sexual partners in the last year.

% within Demog - PCT area of residence 2007

	Gender of sexual partners			
	no one	women only	men only	both men and women
Oxfordshire	4.2%	2.3%	84.7%	8.8%
Buckinghamshire	7.9%	2.6%	73.7%	15.8%
Milton Keynes	2.0%		86.0%	12.0%
Berkshire West	2.8%	2.8%	83.1%	11.3%
Berkshire East	4.5%	3.0%	79.1%	13.4%
Hampshire	5.3%	.4%	85.6%	8.6%
Southampton City			89.6%	10.4%
Portsmouth City Teaching	8.1%		80.2%	11.6%
Isle of Wight	2.6%		92.1%	5.3%
All other South Central SHA men	4.8%		85.7%	9.5%
Total	4.7%	1.3%	83.7%	10.3%

### 12. Number of male sexual partners in the last year (those who had sex with men).

% within Demog - PCT area of residence 2007

	Number of male partners				
	one	2,3 or 4	5 to 12	13 to 29	30+
Oxfordshire	21.0%	34.4%	26.7%	10.8%	7.2%
Buckinghamshire	14.7%	33.8%	25.0%	8.8%	17.6%
Milton Keynes	13.0%	41.3%	28.3%	13.0%	4.3%
Berkshire West	21.5%	30.8%	21.5%	13.8%	12.3%
Berkshire East	14.5%	32.3%	33.9%	11.3%	8.1%
Hampshire	26.0%	28.3%	21.5%	10.8%	13.5%
Southampton City	20.8%	45.8%	14.6%	10.4%	8.3%
Portsmouth City Teaching	19.7%	40.8%	25.0%	7.9%	6.6%
Isle of Wight	13.9%	38.9%	25.0%	22.2%	
All other South Central SHA men	31.6%	26.3%	5.3%	26.3%	10.5%
Total	20.8%	33.9%	24.0%	11.6%	9.8%

### 13. HIV concordancy of regular relationship.

% within Demog - PCT area of residence 2007

	HIV concordancy or regular relationship			
	Single	HIV concordant	HIV discordant	Concordancy unknown
Oxfordshire	52.4%	32.1%	2.8%	12.7%
Buckinghamshire	48.6%	33.8%	2.7%	14.9%
Milton Keynes	48.0%	42.0%		10.0%
Berkshire West	44.3%	35.7%	1.4%	18.6%
Berkshire East	53.0%	31.8%		15.2%
Hampshire	41.3%	43.8%	2.1%	12.9%
Southampton City	56.3%	22.9%		20.8%
Portsmouth City Teaching	49.4%	34.1%	2.4%	14.1%
Isle of Wight	45.9%	32.4%	5.4%	16.2%
All other South Central SHA men	47.6%	33.3%		19.0%
Total	47.8%	35.9%	2.0%	14.3%

## Sexual Risk Behaviours [see contents for acronyms]

### 14. Number of RUAI partners in the last year (those who had male partners).

% within Demog - PCT area of residence 2007

	Number of RUAI partners			
	none	one	two, three or four	5 or more
Oxfordshire	63.9%	24.2%	9.8%	2.1%
Buckinghamshire	48.5%	27.9%	17.6%	5.9%
Milton Keynes	57.4%	23.4%	17.0%	2.1%
Berkshire West	55.4%	24.6%	18.5%	1.5%
Berkshire East	59.7%	24.2%	12.9%	3.2%
Hampshire	61.2%	23.2%	12.9%	2.7%
Southampton City	48.9%	34.0%	17.0%	
Portsmouth City Teaching	53.9%	32.9%	9.2%	3.9%
Isle of Wight	61.1%	22.2%	13.9%	2.8%
All other South Central SHA men	57.9%	31.6%	5.3%	5.3%
Total	58.6%	25.7%	13.0%	2.7%

### 15. Likelihood of having RUAI with a man with a different HIV status (among those who had RUAI in the last year).

% within Demog - PCT area of residence 2007

	Likelihood of having SdRUAI		
	Probably/Definitely have been	I may have, may not have been	Probably/definitely have not been
Oxfordshire	6.0%	14.9%	79.1%
Buckinghamshire	11.4%	14.3%	74.3%
Milton Keynes		35.0%	65.0%
Berkshire West	6.9%	20.7%	72.4%
Berkshire East	4.0%	16.0%	80.0%
Hampshire	5.9%	14.1%	80.0%
Southampton City		16.7%	83.3%
Portsmouth City Teaching	8.6%	17.1%	74.3%
Isle of Wight	7.1%	21.4%	71.4%
All other South Central SHA men	12.5%	25.0%	62.5%
Total	6.1%	17.3%	76.6%

**16. Number of IUAL partners in the last year (those who had male partners).**

% within Demog - PCT area of residence 2007

	Number of IUAL partners			
	none	one	two, three or four	5 or more
Oxfordshire	63.6%	23.1%	9.7%	3.6%
Buckinghamshire	54.4%	23.5%	16.2%	5.9%
Milton Keynes	40.4%	31.9%	21.3%	6.4%
Berkshire West	55.4%	24.6%	15.4%	4.6%
Berkshire East	56.5%	27.4%	11.3%	4.8%
Hampshire	56.9%	25.8%	12.0%	5.3%
Southampton City	52.1%	35.4%	10.4%	2.1%
Portsmouth City Teaching	52.6%	30.3%	14.5%	2.6%
Isle of Wight	66.7%	16.7%	11.1%	5.6%
All other South Central SHA men	57.9%	21.1%	15.8%	5.3%
Total	57.0%	25.8%	12.7%	4.5%

**17. Likelihood of having IUAL with a man with a different HIV status (those who had IUAL in the last year).**

% within Demog - PCT area of residence 2007

	Likelihood of having SdIUAL		
	Probably/Definitely have been	I may have, may not have been	Probably/definitely have not been
Oxfordshire	7.1%	17.1%	75.7%
Buckinghamshire	9.7%	19.4%	71.0%
Milton Keynes		32.1%	67.9%
Berkshire West	10.3%	17.2%	72.4%
Berkshire East		25.9%	74.1%
Hampshire	6.2%	17.5%	76.3%
Southampton City	4.3%	13.0%	82.6%
Portsmouth City Teaching	2.8%	25.0%	72.2%
Isle of Wight	16.7%		83.3%
All other South Central SHA men	12.5%	12.5%	75.0%
Total	6.1%	19.1%	74.8%

## Unmet HIV Prevention Needs

### 18. Sexual Assault in the last 12 months.

% within Demog - PCT area of residence 2007

	Forced to have sex	
	No	Yes
Oxfordshire	93.9%	6.1%
Buckinghamshire	90.8%	9.2%
Milton Keynes	94.0%	6.0%
Berkshire West	90.0%	10.0%
Berkshire East	95.5%	4.5%
Hampshire	94.7%	5.3%
Southampton City	91.7%	8.3%
Portsmouth City Teaching	96.5%	3.5%
Isle of Wight	94.6%	5.4%
All other South Central SHA men	90.5%	9.5%
Total	93.7%	6.3%

### 19. "I sometimes have a problem getting hold of condoms".

% within Demog - PCT area of residence 2007

	Problem getting hold of condoms				
	strongly agree	agree	not sure	disagree	strongly disagree
Oxfordshire	2.8%	8.0%	2.8%	36.6%	49.8%
Buckinghamshire	1.3%	17.3%	5.3%	20.0%	56.0%
Milton Keynes	4.0%	8.0%	4.0%	16.0%	68.0%
Berkshire West	2.9%	8.7%	7.2%	44.9%	36.2%
Berkshire East	4.5%	10.4%	1.5%	32.8%	50.7%
Hampshire	1.6%	7.8%	4.5%	30.5%	55.6%
Southampton City	4.2%	10.4%	6.3%	20.8%	58.3%
Portsmouth City Teaching	4.7%	9.4%	5.9%	24.7%	55.3%
Isle of Wight	5.4%	8.1%		37.8%	48.6%
All other South Central SHA men	9.5%	9.5%		42.9%	38.1%
Total	3.1%	9.3%	4.1%	31.1%	52.5%

**20. "Water-based lube is sometimes hard to get hold of".**

% within Demog - PCT area of residence 2007

	Problem getting hold of water-based lube				
	strongly agree	agree	not sure	disagree	strongly disagree
Oxfordshire	4.7%	10.8%	10.8%	33.5%	40.1%
Buckinghamshire	7.9%	18.4%	11.8%	27.6%	34.2%
Milton Keynes		18.0%	10.0%	26.0%	46.0%
Berkshire West	1.4%	18.6%	20.0%	31.4%	28.6%
Berkshire East	6.0%	14.9%	13.4%	25.4%	40.3%
Hampshire	4.1%	13.6%	9.5%	35.8%	37.0%
Southampton City	2.1%	10.4%	14.6%	27.1%	45.8%
Portsmouth City Teaching	8.2%	5.9%	14.1%	24.7%	47.1%
Isle of Wight	8.1%	8.1%	8.1%	37.8%	37.8%
All other South Central SHA men	14.3%	4.8%	14.3%	33.3%	33.3%
Total	5.0%	12.8%	11.9%	31.5%	38.9%

## Condom Sources

### 21. "I bought them".

% within Demog - PCT area of residence 2007

	Where got condoms - bought	
	No	Yes
Oxfordshire	58.5%	41.5%
Buckinghamshire	48.7%	51.3%
Milton Keynes	56.0%	44.0%
Berkshire West	47.8%	52.2%
Berkshire East	34.3%	65.7%
Hampshire	63.6%	36.4%
Southampton City	66.7%	33.3%
Portsmouth City Teaching	63.5%	36.5%
Isle of Wight	62.2%	37.8%
All other South Central SHA men	47.6%	52.4%
Total	57.1%	42.9%

### 22. "I got them free".

% within Demog - PCT area of residence 2007

	Where got condoms - free	
	No	Yes
Oxfordshire	41.5%	58.5%
Buckinghamshire	52.6%	47.4%
Milton Keynes	56.0%	44.0%
Berkshire West	52.2%	47.8%
Berkshire East	59.7%	40.3%
Hampshire	40.5%	59.5%
Southampton City	43.8%	56.3%
Portsmouth City Teaching	41.2%	58.8%
Isle of Wight	40.5%	59.5%
All other South Central SHA men	71.4%	28.6%
Total	45.9%	54.1%



**23. "My sexual partners usually had them".**

% within Demog - PCT area of residence 2007

	Where got condoms - from partner	
	No	Yes
Oxfordshire	84.4%	15.6%
Buckinghamshire	78.9%	21.1%
Milton Keynes	80.0%	20.0%
Berkshire West	75.4%	24.6%
Berkshire East	88.1%	11.9%
Hampshire	83.1%	16.9%
Southampton City	85.4%	14.6%
Portsmouth City Teaching	82.4%	17.6%
Isle of Wight	94.6%	5.4%
All other South Central SHA men	81.0%	19.0%
Total	83.1%	16.9%

**24. "My friends usually gave them to me".**

% within Demog - PCT area of residence 2007

	Where got condoms - friends	
	No	Yes
Oxfordshire	98.1%	1.9%
Buckinghamshire	93.4%	6.6%
Milton Keynes	90.0%	10.0%
Berkshire West	97.1%	2.9%
Berkshire East	97.0%	3.0%
Hampshire	97.1%	2.9%
Southampton City	93.8%	6.3%
Portsmouth City Teaching	98.8%	1.2%
Isle of Wight	91.9%	8.1%
All other South Central SHA men	95.2%	4.8%
Total	96.4%	3.6%

## HIV Knowledge

25. "An HIV negative man is more likely to pick up HIV by getting fucked by an HIV positive man than by fucking him".

% within Demog - PCT area of residence 2007

	Knowledge negative RUAI>IUI risk		
	I knew this	I wasn't sure	I didn't know this
Oxfordshire	77.7%	12.6%	9.8%
Buckinghamshire	84.2%	7.9%	7.9%
Milton Keynes	84.0%	8.0%	8.0%
Berkshire West	80.0%	5.7%	14.3%
Berkshire East	79.1%	11.9%	9.0%
Hampshire	82.2%	9.9%	7.9%
Southampton City	66.0%	21.3%	12.8%
Portsmouth City Teaching	79.8%	11.9%	8.3%
Isle of Wight	75.7%	18.9%	5.4%
All other South Central SHA men	81.0%	9.5%	9.5%
Total	79.6%	11.2%	9.1%

26. "When fucking an HIV negative man without a condom, an HIV positive man is more likely to pass on HIV infection if either of them already has another sexually transmitted infection".

% within Demog - PCT area of residence 2007

	Knowledge >risk with existing STI		
	I knew this	I wasn't sure	I didn't know this
Oxfordshire	58.6%	20.9%	20.5%
Buckinghamshire	54.1%	24.3%	21.6%
Milton Keynes	62.0%	10.0%	28.0%
Berkshire West	50.0%	8.6%	41.4%
Berkshire East	61.2%	23.9%	14.9%
Hampshire	62.7%	16.2%	21.2%
Southampton City	38.3%	19.1%	42.6%
Portsmouth City Teaching	58.8%	12.9%	28.2%
Isle of Wight	59.5%	21.6%	18.9%
All other South Central SHA men	61.9%	23.8%	14.3%
Total	58.1%	17.9%	24.0%

**27. "Men can have HIV without knowing it".**

% within Demog - PCT area of residence 2007

	Knowledge men can have unknown HIV infection		
	I knew this	I wasn't sure	I didn't know this
Oxfordshire	95.3%	1.4%	3.3%
Buckinghamshire	92.1%	3.9%	3.9%
Milton Keynes	94.0%	4.0%	2.0%
Berkshire West	95.7%		4.3%
Berkshire East	91.0%	6.0%	3.0%
Hampshire	95.0%	3.3%	1.7%
Southampton City	93.5%	6.5%	
Portsmouth City Teaching	94.1%	4.7%	1.2%
Isle of Wight	89.2%	5.4%	5.4%
All other South Central SHA men	90.5%	9.5%	
Total	94.1%	3.4%	2.5%

**28. "When fucking an HIV negative man without a condom, an HIV positive man is more likely to pass on HIV infection if he ejaculates (cums) in his partner".**

% within Demog - PCT area of residence 2007

	Knowledge >risk if IUAIO		
	I knew this	I wasn't sure	I didn't know this
Oxfordshire	89.3%	6.5%	4.2%
Buckinghamshire	93.4%	5.3%	1.3%
Milton Keynes	98.0%		2.0%
Berkshire West	90.0%	4.3%	5.7%
Berkshire East	97.0%	3.0%	
Hampshire	94.6%	4.1%	1.2%
Southampton City	91.5%	8.5%	
Portsmouth City Teaching	91.8%	3.5%	4.7%
Isle of Wight	94.6%	5.4%	
All other South Central SHA men	90.5%	9.5%	
Total	92.7%	4.8%	2.4%

**29. "Condoms are less likely to break if you use a water-based lubricant".**

% within Demog - PCT area of residence 2007

	Knowledge condom breakage < water lube		
	I knew this	I wasn't sure	I didn't know this
Oxfordshire	87.9%	6.5%	5.6%
Buckinghamshire	86.8%	6.6%	6.6%
Milton Keynes	84.0%	10.0%	6.0%
Berkshire West	87.1%	5.7%	7.1%
Berkshire East	79.1%	13.4%	7.5%
Hampshire	88.4%	7.1%	4.6%
Southampton City	85.1%	6.4%	8.5%
Portsmouth City Teaching	83.5%	5.9%	10.6%
Isle of Wight	89.2%	2.7%	8.1%
All other South Central SHA men	85.7%	9.5%	4.8%
Total	86.5%	7.2%	6.4%

**30. "An HIV positive man who has undetectable viral load (in his blood) can still pass on HIV".**

% within Demog - PCT area of residence 2007

	Knowledge transmission possible with undetectable viral load		
	I knew this	I wasn't sure	I didn't know this
Oxfordshire	63.8%	21.1%	15.0%
Buckinghamshire	59.2%	22.4%	18.4%
Milton Keynes	62.0%	22.0%	16.0%
Berkshire West	58.6%	20.0%	21.4%
Berkshire East	67.2%	17.9%	14.9%
Hampshire	64.9%	16.9%	18.2%
Southampton City	63.8%	21.3%	14.9%
Portsmouth City Teaching	54.1%	22.4%	23.5%
Isle of Wight	62.2%	21.6%	16.2%
All other South Central SHA men	66.7%	9.5%	23.8%
Total	62.6%	19.7%	17.7%

## Post Exposure Prophylaxis

### 31. Heard of Post Exposure Prophylaxis (PEP).

% within Demog - PCT area of residence 2007

	Health and Prevention tech - Heard PEP	
	No	Yes
Oxfordshire	77.4%	22.6%
Buckinghamshire	85.5%	14.5%
Milton Keynes	90.0%	10.0%
Berkshire West	80.9%	19.1%
Berkshire East	85.1%	14.9%
Hampshire	78.2%	21.8%
Southampton City	89.6%	10.4%
Portsmouth City Teaching	81.2%	18.8%
Isle of Wight	86.5%	13.5%
All other South Central SHA men	90.5%	9.5%
Total	81.5%	18.5%

### 32. Tried to get PEP.

% within Demog - PCT area of residence 2007

	Health and Prevention tech - tried to get PEP	
	No	Yes
Oxfordshire	98.6%	1.4%
Buckinghamshire	98.7%	1.3%
Milton Keynes	100.0%	
Berkshire West	98.5%	1.5%
Berkshire East	100.0%	
Hampshire	98.7%	1.3%
Southampton City	97.9%	2.1%
Portsmouth City Teaching	100.0%	
Isle of Wight	100.0%	
All other South Central SHA men	100.0%	
Total	99.0%	1.0%

**33. Ever taken PEP.**

% within Demog - PCT area of residence 2007

	Health and Prevention tech - ever taken PEP	
	No	Yes
Oxfordshire	98.6%	1.4%
Buckinghamshire	100.0%	
Milton Keynes	100.0%	
Berkshire West	100.0%	
Berkshire East	100.0%	
Hampshire	98.3%	1.7%
Southampton City	97.9%	2.1%
Portsmouth City Teaching	100.0%	
Isle of Wight	100.0%	
All other South Central SHA men	100.0%	
Total	99.1%	.9%

**34. Know anyone who received PEP.**

% within Demog - PCT area of residence 2007

	Health and Prevention tech - know anyone got PEP	
	No	Yes
Oxfordshire	94.7%	5.3%
Buckinghamshire	98.7%	1.3%
Milton Keynes	98.0%	2.0%
Berkshire West	94.1%	5.9%
Berkshire East	91.0%	9.0%
Hampshire	93.3%	6.7%
Southampton City	97.9%	2.1%
Portsmouth City Teaching	96.5%	3.5%
Isle of Wight	100.0%	
All other South Central SHA men	95.2%	4.8%
Total	95.1%	4.9%

**35. Consideration of getting PEP if exposed to HIV (those not tested HIV positive).**

% within Demog - PCT area of residence 2007

	Health and Prevention tech - would you try to get PEP		
	No	Yes	Maybe
Oxfordshire	3.6%	73.0%	23.5%
Buckinghamshire	1.4%	63.0%	35.6%
Milton Keynes	2.1%	63.8%	34.0%
Berkshire West	1.5%	62.7%	35.8%
Berkshire East		75.0%	25.0%
Hampshire	1.3%	76.1%	22.6%
Southampton City	2.1%	75.0%	22.9%
Portsmouth City Teaching	4.9%	69.1%	25.9%
Isle of Wight		69.4%	30.6%
All other South Central SHA men		60.0%	40.0%
Total	2.1%	71.1%	26.8%

**[Report ends]**