

Vital Statistics 2008 The UK Gay Men's Sex Survey

Area sub-samples data report (December 2009)

South Central Strategic Health Authority (n=328)

This report uses data from the UK *Gay Men's Sex Survey* 2008, conducted by Sigma Research in collaboration with health promoters throughout the UK. It supplements the main survey report which will be published in early 2010. Survey methods and interpretation of the variables will be outlined in that report.

This data is intended to provide HIV health promotion planners with information about their local population of gay men and bisexual men. There is a data report for each of the ten Strategic Health Authorities (SHA) in England, with men grouped according to their Primary Care Trust (PCT) of residence. These 2008 reports, and similar reports for previous years, are available at: www.sigmaresearch.org.uk/gmss/go.php/region

There are also whole country reports for England, Wales, Scotland, Northern Ireland and the Republic of Ireland, with men grouped according to their region of residence. These reports, and similar reports for previous years, are available at: www.sigmaresearch.org.uk/gmss/go.php/country

The data

The survey used two data collection methods over the summer of 2008: a self-sealing, Freepost addressed booklet distributed by health promotion agencies; and via a specific website promoted via links on gay and HIV-related websites.

This report contains data from all the men recruited through both methods. To be included in the sample respondents had to: be male; be aged 14 or over; be living in the UK; have had sex with a man in the last year or have a gay, bisexual or other "queer" identity; have completed at least one demographic question and one other question. Differences between the number of surveys returned and the number of men who appear in the sample are due to these exclusions.

The tables

Groups of men living in the same PCT appear as a row (horizontal line) in the tables. The bottom row of each table gives the result for the entire Strategic Health Authority. The first table shows the number of men recruited to the survey living in each PCT and the size of the sub-samples in the rest of the tables. PCT areas with fewer than 20 men in the sample are reported as "all other South Central men". Some adjoining PCT areas are amalgamated where respondents cannot be allocated to an individual PCT. The tables show the proportions (%) of each sub-sample for that variable (less missing data). Rows add up to 100%. The only exception to this layout is table 3, Age averages.

Questionnaires

The contents page identifies the Booklet question number (Q) each table is derived from. The questionnaire used in the survey is available to download at: www.sigmaresearch.org.uk/files/VS2008booklet.pdf

Funding

The survey was funded by Terrence Higgins Trust as part of CHAPS, a national HIV prevention initiative funded by the English Department of Health. Online recruitment occurred in England, Wales, Scotland, Northern Ireland and the Republic of Ireland. Booklet recruitment occurred only in England and Wales.



Table Contents

SAMPLE DESCRIPTION

- 1a. Primary Care Trust (PCT) of residence
- 1b. Web and booklet sample sizes by PCT of residence
2. Age, in 5 groups (Q6)
3. Age averages (Q6)
4. Ethnicity, in 6 groups (Q7)
5. Highest education qualification (Q8)
6. Sexual identity(Q9)
7. Trans male status (Q1)
8. Gender of sexual partners in the last year (Q23)
9. Marriage / Civil partnership status (Q16)
10. Sero-discordancy with male regular partner (Q11 & Q13)
11. Sexuality disclosure (outness to family, friends & workmates) score average (range 0 = out to none - 12 = out to all, or almost all) (Q10)
12. Living arrangements (Q14)

HIV INFECTION (AND TESTING INTERVENTION PERFORMANCE)

13. HIV testing history (Q17 & Q18)
14. Self-rating of HIV transmission probability among homosexually active men in the last year (Q17 & Q42)

RISK BEHAVIOURS

15. Number of male sexual partners in the last year (Q24)
16. Number of male unprotected anal intercourse partners among homosexually active men in the last year (Q26 & Q23)
17. Use of Nitrite inhalants (poppers) (Q44 & Q45 & Q46 & Q47)
18. Use of anabolic steroids (Q49)

PREVENTION NEEDS

19. Sexual behavioural intention on partner's positive disclosure (Q43 & Q17) (among men not tested positive)
20. Knowledge that poppers increase transmission probability (Q48)
21. Knowledge that HIV, Hep B & C may be transmitted from shared injecting equipment when using anabolic steroids (Q52a)
22. Knowledge that anabolic steroid use is linked to heart disease (Q52b)
23. Knowledge that concurrent stimulant and anabolic steroid use increases heart attack risk (q52c)
24. Knowledge that non-prescribed anabolic steroids dosage may vary from that labelled (Q52d)

Sigma Research
University of Portsmouth
77a Tradescant Road
London, SW8 1XJ
020-7820 8022
David.Reid@sigmaresearch.org.uk
www.sigmaresearch.org.uk
www.gmss.org.uk

SAMPLE DESCRIPTION

1a. Primary Care Trust (PCT) area of residence

	Frequency	Percent
NHS Hampshire & NHS Hampshire Community Health Care	74	22.6
Portsmouth City Teaching PCT	71	21.6
Buckinghamshire PCT	42	12.8
NHS Berkshire West	37	11.3
NHS Oxfordshire	34	10.4
Southampton City PCT	31	9.5
NHS Berkshire East	19	5.8
NHS Milton Keynes	16	4.9
NHS Isle of Wight	4	1.2
Total	328	100.0

1b. Web and booklet sample sizes by PCT area of residence

Count

	Distribution method		Total
	Web	Booklet	
NHS Oxfordshire	30	4	34
Buckinghamshire PCT	36	6	42
NHS Milton Keynes	14	2	16
NHS Berkshire West	32	5	37
NHS Berkshire East	15	4	19
NHS Hampshire & NHS Hampshire Community Health Care	50	24	74
Southampton City PCT	29	2	31
Portsmouth City Teaching PCT	13	58	71
NHS Isle of Wight	3	1	4
Total	222	106	328

2. Age, in 5 groups (Q6)

% within PCT area of residence

	Age, in 5 groups (Q6)					Total
	<20	20s	30s	40s	50+	
NHS Oxfordshire	8.8%	29.4%	14.7%	29.4%	17.6%	100.0%
Buckinghamshire PCT	4.8%	33.3%	40.5%	9.5%	11.9%	100.0%
NHS Berkshire West	8.1%	40.5%	29.7%	16.2%	5.4%	100.0%
NHS Hampshire & NHS Hampshire Community Health Care	6.8%	21.6%	18.9%	31.1%	21.6%	100.0%
Southampton City PCT	6.5%	48.4%	25.8%	16.1%	3.2%	100.0%
Portsmouth City Teaching PCT	5.6%	42.3%	16.9%	23.9%	11.3%	100.0%
All other South Central men	5.1%	23.1%	20.5%	28.2%	23.1%	100.0%
Total	6.4%	33.2%	22.9%	23.2%	14.3%	100.0%

3. Age averages (Q6)

Age averages (Q6)

PCT area of residence	Median	Mean	Minimum	Maximum	Std. Deviation
NHS Oxfordshire	37.0000	36.2941	18.00	64.00	13.34514
Buckinghamshire PCT	32.5000	33.9286	17.00	67.00	10.90400
NHS Berkshire West	30.0000	32.7568	18.00	60.00	10.81513
NHS Hampshire & NHS Hampshire Community Health Care	41.0000	39.3243	16.00	70.00	13.94913
Southampton City PCT	26.0000	29.1613	17.00	59.00	9.99699
Portsmouth City Teaching PCT	30.0000	34.0423	19.00	72.00	12.56121
All other South Central men	41.0000	39.3333	16.00	63.00	12.64148
Total	33.5000	35.4756	16.00	72.00	12.69952

4. Ethnicity, in 6 groups (Q7)

% within PCT area of residence

	Ethnicity, in 6 groups (Q7)						Total
	White British	White other	Black	Asian	Mixed	Other	
NHS Oxfordshire	79.4%	14.7%		2.9%		2.9%	100.0%
Buckinghamshire PCT	78.6%	4.8%	2.4%	11.9%	2.4%		100.0%
NHS Berkshire West	81.1%	10.8%		2.7%	5.4%		100.0%
NHS Hampshire & NHS Hampshire Community Health Care	91.9%	5.4%			1.4%	1.4%	100.0%
Southampton City PCT	90.3%	9.7%					100.0%
Portsmouth City Teaching PCT	90.1%	4.2%	1.4%	1.4%	2.8%		100.0%
All other South Central men	87.2%	7.7%			2.6%	2.6%	100.0%
Total	86.6%	7.3%	.6%	2.4%	2.1%	.9%	100.0%

5. Highest education qualification (Q8)

% within PCT area of residence

	Highest education qualification (Q8)			Total
	Low	Medium	High	
NHS Oxfordshire	17.6%	32.4%	50.0%	100.0%
Buckinghamshire PCT	21.4%	31.0%	47.6%	100.0%
NHS Berkshire West	18.9%	27.0%	54.1%	100.0%
NHS Hampshire & NHS Hampshire Community Health Care	23.0%	32.4%	44.6%	100.0%
Southampton City PCT	22.6%	25.8%	51.6%	100.0%
Portsmouth City Teaching PCT	37.7%	21.7%	40.6%	100.0%
All other South Central men	33.3%	30.8%	35.9%	100.0%
Total	26.1%	28.5%	45.4%	100.0%

6. Sexual identity(Q9)

% within PCT area of residence

	Sexual identity (Q9)				Total
	Gay	Bisexual	I don't usually use a term	Any other term	
NHS Oxfordshire	73.5%	8.8%	14.7%	2.9%	100.0%
Buckinghamshire PCT	78.6%	16.7%	2.4%	2.4%	100.0%
NHS Berkshire West	73.0%	21.6%	5.4%		100.0%
NHS Hampshire & NHS Hampshire Community Health Care	87.7%	8.2%	4.1%		100.0%
Southampton City PCT	93.5%	6.5%			100.0%
Portsmouth City Teaching PCT	85.7%	5.7%	7.1%	1.4%	100.0%
All other South Central men	87.2%	5.1%	7.7%		100.0%
Total	83.4%	9.8%	5.8%	.9%	100.0%

7. Trans male status (Q1)

% within PCT area of residence

	Trans male status (Q1)		Total
	No	Yes	
NHS Oxfordshire	100.0%		100.0%
Buckinghamshire PCT	100.0%		100.0%
NHS Berkshire West	97.3%	2.7%	100.0%
NHS Hampshire & NHS Hampshire Community Health Care	95.7%	4.3%	100.0%
Southampton City PCT	100.0%		100.0%
Portsmouth City Teaching PCT	98.6%	1.4%	100.0%
All other South Central men	100.0%		100.0%
Total	98.4%	1.6%	100.0%

8. Gender of sexual partners in the last year (Q23)

% within PCT area of residence

	Gender of sexual partners in the last year (Q23)				Total
	No one	Women only	Men only	Both men and women	
NHS Oxfordshire	8.8%		79.4%	11.8%	100%
Buckinghamshire PCT	4.8%	4.8%	76.2%	14.3%	100%
NHS Berkshire West	2.7%	2.7%	78.4%	16.2%	100%
NHS Hampshire & NHS Hampshire Community Health Care	4.1%	1.4%	90.5%	4.1%	100%
Southampton City PCT	9.7%		87.1%	3.2%	100%
Portsmouth City Teaching PCT	7.0%		84.5%	8.5%	100%
All other South Central men	7.7%		87.2%	5.1%	100%
Total	6.1%	1.2%	84.1%	8.5%	100%

9. Marriage / Civil partnership status (Q16)

% within PCT area of residence

	Marriage / Civil partnership status (Q16)			Total
	In a civil partnership with a man	In a marriage with a woman	Neither of these	
NHS Oxfordshire		2.9%	97.1%	100.0%
Buckinghamshire PCT	7.1%	9.5%	83.3%	100.0%
NHS Berkshire West	10.8%	10.8%	78.4%	100.0%
NHS Hampshire & NHS Hampshire Community Health Care	12.5%	8.3%	79.2%	100.0%
Southampton City PCT	6.5%	6.5%	87.1%	100.0%
Portsmouth City Teaching PCT	11.4%	5.7%	82.9%	100.0%
All other South Central men	2.6%	2.6%	94.9%	100.0%
Total	8.3%	6.8%	84.9%	100.0%

10. Sero-discordancy with male regular partner (Q11 & Q13)

% within PCT area of residence

	Sero-discordancy with male regular partner (Q11 & Q13)				Total
	single	concordant regular	unknown regular	discordant regular	
NHS Oxfordshire	61.8%	29.4%	8.8%		100.0%
Buckinghamshire PCT	56.1%	36.6%	4.9%	2.4%	100.0%
NHS Berkshire West	43.2%	37.8%	10.8%	8.1%	100.0%
NHS Hampshire & NHS Hampshire Community Health Care	48.6%	40.5%	2.7%	8.1%	100.0%
Southampton City PCT	46.7%	33.3%	13.3%	6.7%	100.0%
Portsmouth City Teaching PCT	49.3%	32.4%	12.7%	5.6%	100.0%
All other South Central men	53.8%	35.9%	10.3%		100.0%
Total	50.9%	35.6%	8.6%	4.9%	100.0%

11. Sexuality disclosure (outness to family, friends & workmates) score average (Q10)

Sexuality disclosure (outness) score average (Q10)

PCT area of residence	Median	Mean	Minimum	Maximum	Std. Deviation
NHS Oxfordshire	9.0000	6.6970	.00	12.00	5.36473
Buckinghamshire PCT	7.0000	6.6098	.00	12.00	4.93902
NHS Berkshire West	8.5000	7.4444	.00	12.00	4.20506
NHS Hampshire & NHS Hampshire Community Health Care	9.0000	7.9296	.00	12.00	4.08245
Southampton City PCT	12.0000	10.0645	.00	12.00	3.03244
Portsmouth City Teaching PCT	11.0000	8.7463	.00	12.00	4.22239
All other South Central men	10.5000	8.4474	.00	12.00	4.48841
Total	10.0000	8.0189	.00	12.00	4.43086

12. Living arrangements (Q14)

% within PCT area of residence

	Living arrangements (Q14)			Total
	Live alone	Live with male partner	Live with others (not male partner)	
NHS Oxfordshire	47.1%	11.8%	41.2%	100.0%
Buckinghamshire PCT	33.3%	14.3%	52.4%	100.0%
NHS Berkshire West	35.1%	27.0%	37.8%	100.0%
NHS Hampshire & NHS Hampshire Community Health Care	39.2%	28.4%	32.4%	100.0%
Southampton City PCT	22.6%	22.6%	54.8%	100.0%
Portsmouth City Teaching PCT	35.7%	28.6%	35.7%	100.0%
All other South Central men	53.8%	15.4%	30.8%	100.0%
Total	38.2%	22.6%	39.1%	100.0%

HIV INFECTION (AND TESTING INTERVENTION PERFORMANCE)

13. HIV testing history (Q17 & Q18)

% within PCT area of residence

	HIV test history (Q17 & Q18)				Total
	Never tested	Tested negative in last year	Tested negative over a year ago	Tested positive	
NHS Oxfordshire	32.4%	32.4%	35.3%		100.0%
Buckinghamshire PCT	31.0%	35.7%	26.2%	7.1%	100.0%
NHS Berkshire West	32.4%	32.4%	21.6%	13.5%	100.0%
NHS Hampshire & NHS Hampshire Community Health Care	30.1%	41.1%	20.5%	8.2%	100.0%
Southampton City PCT	41.9%	32.3%	19.4%	6.5%	100.0%
Portsmouth City Teaching PCT	30.0%	38.6%	18.6%	12.9%	100.0%
All other South Central men	38.5%	35.9%	20.5%	5.1%	100.0%
Total	32.8%	36.5%	22.4%	8.3%	100.0%

14. Self rating of HIV transmission probability amongst homosexually active men in the last year(Q17 & Q42)

% within PCT area of residence

	Self rating of HIV transmission probability (Q17 & Q42) (Homosexually active men in the last year)					Total
	Very likely	Quite likely	Not sure	Quite unlikely	Very unlikely	
NHS Oxfordshire			10.0%	23.3%	66.7%	100.0%
Buckinghamshire PCT			28.9%	21.1%	50.0%	100.0%
NHS Berkshire West		2.9%	11.4%	20.0%	65.7%	100.0%
NHS Hampshire & NHS Hampshire Community Health Care		2.9%	12.9%	22.9%	61.4%	100.0%
Southampton City PCT				46.2%	53.8%	100.0%
Portsmouth City Teaching PCT		3.2%	9.5%	19.0%	68.3%	100.0%
All other South Central men	5.6%	2.8%	22.2%	22.2%	47.2%	100.0%
Total	.7%	2.0%	13.8%	23.5%	60.1%	100.0%

RISK BEHAVIOURS

15. Number of male sexual partners in the last year (Q24)

% within PCT area of residence

	Number of male sexual partners in the last year (Q24)						Total
	None	One	2,3 or 4	5 to 12	13 to 29	30 or more	
NHS Oxfordshire	8.8%	11.8%	26.5%	29.4%	11.8%	11.8%	100.0%
Buckinghamshire PCT	9.5%	11.9%	31.0%	26.2%	7.1%	14.3%	100.0%
NHS Berkshire West	5.4%	27.0%	24.3%	16.2%	13.5%	13.5%	100.0%
NHS Hampshire & NHS Hampshire Community Health Care	5.4%	17.6%	32.4%	21.6%	16.2%	6.8%	100.0%
Southampton City PCT	9.7%	22.6%	32.3%	22.6%	6.5%	6.5%	100.0%
Portsmouth City Teaching PCT	7.1%	21.4%	15.7%	30.0%	14.3%	11.4%	100.0%
All other South Central men	7.7%	12.8%	48.7%	2.6%	15.4%	12.8%	100.0%
Total	7.3%	18.0%	29.1%	22.0%	12.8%	10.7%	100.0%

16. Number of male unprotected anal intercourse partners amongst homosexually active men in the last year (Q26 & Q23)

% within PCT area of residence

	Number of male unprotected anal intercourse partners amongst homosexually active men (Q26 & Q23)					Total
	none	one	two	three or four	five or more	
NHS Oxfordshire	32.3%	38.7%	16.1%	6.5%	6.5%	100.0%
Buckinghamshire PCT	55.3%	13.2%	10.5%	15.8%	5.3%	100.0%
NHS Berkshire West	31.4%	51.4%	2.9%	11.4%	2.9%	100.0%
NHS Hampshire & NHS Hampshire Community Health Care	47.1%	27.1%	14.3%	5.7%	5.7%	100.0%
Southampton City PCT	50.0%	28.6%	14.3%	3.6%	3.6%	100.0%
Portsmouth City Teaching PCT	50.0%	23.4%	6.3%	9.4%	10.9%	100.0%
All other South Central men	55.6%	19.4%	8.3%	5.6%	11.1%	100.0%
Total	46.7%	27.8%	10.3%	8.3%	7.0%	100.0%

17. Use of Nitrite inhalants (poppers) (Q44 & Q45 & Q46 & Q47)

% within PCT area of residence

	Use of Nitrite inhalants (poppers) (Q44 & Q45 & Q46 & Q47)					Total
	No poppers	Use but not during RAI	Use during RAI but not URAI	Use during URAI but not with unknown / discordant partner	Use during URAI with an unknown / discordant partner	
NHS Oxfordshire	78.8%	9.1%	3.0%	6.1%	3.0%	100%
Buckinghamshire PCT	61.9%	11.9%	14.3%	4.8%	7.1%	100%
NHS Berkshire West	56.8%	8.1%	5.4%	18.9%	10.8%	100%
NHS Hampshire & NHS Hants. Community Health Care	58.9%	16.4%	9.6%	9.6%	5.5%	100%
Southampton City PCT	70.0%	16.7%	3.3%	6.7%	3.3%	100%
Portsmouth City Teaching PCT	35.7%	21.4%	20.0%	14.3%	8.6%	100%
All other South Central men	53.8%	17.9%	10.3%	5.1%	12.8%	100%
Total	56.5%	15.4%	10.8%	9.9%	7.4%	100%

18. Use of anabolic steroids (Q49)

% within PCT area of residence

	Use of anabolic steroids (Q49)			Total
	Yes, I've taken them in the last month	Yes, I've taken them but NOT in the last 12 months	No, I have never taken anabolic steroids	
NHS Oxfordshire		5.9%	94.1%	100.0%
Buckinghamshire PCT			100.0%	100.0%
NHS Berkshire West			100.0%	100.0%
NHS Hampshire & NHS Hampshire Community Health Care			100.0%	100.0%
Southampton City PCT			100.0%	100.0%
Portsmouth City Teaching PCT	2.9%	4.3%	92.9%	100.0%
All other South Central men		5.1%	94.9%	100.0%
Total	.6%	2.1%	97.2%	100.0%

PREVENTION NEEDS

19. Sexual behavioural intention on partner's positive disclosure (Q43 & Q17) (not tested positive)

% within PCT area of residence

	Sexual behavioural intention on partners positive disclosure (Q43 & Q17) (not tested positive)				Total
	Not want to have sex with him	Still want to have sex with him but be extra careful	Have the kind of sex you would have had anyway	Other	
NHS Oxfordshire	75.8%	18.2%	3.0%	3.0%	100.0%
Buckinghamshire PCT	76.9%	20.5%	2.6%		100.0%
NHS Berkshire West	68.8%	28.1%		3.1%	100.0%
NHS Hampshire & NHS Hampshire Community Health Care	60.3%	34.9%	3.2%	1.6%	100.0%
Southampton City PCT	60.7%	28.6%	3.6%	7.1%	100.0%
Portsmouth City Teaching PCT	67.9%	28.6%	1.8%	1.8%	100.0%
All other South Central men	47.2%	38.9%	8.3%	5.6%	100.0%
Total	65.2%	28.9%	3.1%	2.8%	100.0%

20. Knowledge that poppers increase transmission probability (Q48)

% within PCT area of residence

	Knowledge that poppers increase transmission probability (Q48)				Total
	I knew this already	I didn't know this already	I wasn't sure about this	I don't understand this	
NHS Oxfordshire	29.4%	52.9%	14.7%	2.9%	100.0%
Buckinghamshire PCT	33.3%	64.3%	2.4%		100.0%
NHS Berkshire West	27.0%	51.4%	18.9%	2.7%	100.0%
NHS Hampshire & NHS Hampshire Community Health Care	41.1%	38.4%	11.0%	9.6%	100.0%
Southampton City PCT	29.0%	45.2%	25.8%		100.0%
Portsmouth City Teaching PCT	36.2%	40.6%	14.5%	8.7%	100.0%
All other South Central men	33.3%	53.8%	12.8%		100.0%
Total	34.2%	47.7%	13.5%	4.6%	100.0%

21. Knowledge that HIV, Hep B & C may be transmitted from shared injecting equipment when using anabolic steroids (Q52a)

% within PCT area of residence

	Knowledge that HIV, Hep B & C may be transmitted from shared injecting equipment when using anabolic steroids (Q52a)				Total
	I knew this already	I didn't know this already	I wasn't sure about this	I don't understand this	
NHS Oxfordshire	81.3%	15.6%	3.1%		100.0%
Buckinghamshire PCT	90.5%	7.1%		2.4%	100.0%
NHS Berkshire West	81.1%	10.8%	5.4%	2.7%	100.0%
NHS Hampshire & NHS Hampshire Community Health Care	86.3%	4.1%	2.7%	6.8%	100.0%
Southampton City PCT	93.5%	6.5%			100.0%
Portsmouth City Teaching PCT	72.1%	22.1%	2.9%	2.9%	100.0%
All other South Central men	82.1%	15.4%		2.6%	100.0%
Total	82.9%	11.8%	2.2%	3.1%	100.0%

22. Knowledge that anabolic steroid use is linked to heart disease (Q52b)

% within PCT area of residence

	Knowledge that anabolic steroid use is linked to heart disease (Q52b)				Total
	I knew this already	I didn't know this already	I wasn't sure about this	I don't understand this	
NHS Oxfordshire	46.9%	37.5%	15.6%		100.0%
Buckinghamshire PCT	45.2%	47.6%	4.8%	2.4%	100.0%
NHS Berkshire West	62.2%	27.0%	5.4%	5.4%	100.0%
NHS Hampshire & NHS Hampshire Community Health Care	59.7%	23.6%	11.1%	5.6%	100.0%
Southampton City PCT	54.8%	32.3%	12.9%		100.0%
Portsmouth City Teaching PCT	50.7%	37.3%	10.4%	1.5%	100.0%
All other South Central men	53.8%	30.8%	15.4%		100.0%
Total	53.8%	33.1%	10.6%	2.5%	100.0%

23. Knowledge that concurrent stimulant and anabolic steroid use increases heart attack risk (q52c)

% within PCT area of residence

	Knowledge that concurrent stimulant and anabolic steroid use increases heart attack risk (q52c)				Total
	I knew this already	I didn't know this already	I wasn't sure about this	I don't understand this	
NHS Oxfordshire	46.9%	37.5%	15.6%		100.0%
Buckinghamshire PCT	45.2%	45.2%	7.1%	2.4%	100.0%
NHS Berkshire West	62.2%	27.0%	5.4%	5.4%	100.0%
NHS Hampshire & NHS Hampshire Community Health Care	55.6%	27.8%	12.5%	4.2%	100.0%
Southampton City PCT	35.5%	51.6%	12.9%		100.0%
Portsmouth City Teaching PCT	61.8%	32.4%	2.9%	2.9%	100.0%
All other South Central men	48.7%	35.9%	15.4%		100.0%
Total	52.6%	35.2%	9.7%	2.5%	100.0%

24. Knowledge that non-prescribed anabolic steroids dosage may vary from that labelled (Q52d)

% within PCT area of residence

	Knowledge that non-prescribed anabolic steroids dosage may vary from that labeled (Q52d)				Total
	I knew this already	I didn't know this already	I wasn't sure about this	I don't understand this	
NHS Oxfordshire	34.4%	43.8%	18.8%	3.1%	100.0%
Buckinghamshire PCT	35.7%	57.1%	4.8%	2.4%	100.0%
NHS Berkshire West	54.1%	32.4%	8.1%	5.4%	100.0%
NHS Hampshire & NHS Hampshire Community Health Care	50.7%	28.8%	15.1%	5.5%	100.0%
Southampton City PCT	32.3%	51.6%	16.1%		100.0%
Portsmouth City Teaching PCT	42.6%	47.1%	8.8%	1.5%	100.0%
All other South Central men	51.3%	35.9%	12.8%		100.0%
Total	44.1%	41.3%	11.8%	2.8%	100.0%

ENDS